

Press Release

Gaursons Promoters Private Limited (GPPL)

11 July, 2017

Rating Update



Total Bank Facilities Rated	Rs.350.00 Cr #
Long Term Rating (Indicative)	SMERA BB Issuer not co-operating*

Refer Annexure for details of instrument.

*The issuer did not co-operate; Based on best available information.

SMERA has reviewed the long-term rating of **SMERA BB (read as SMERA double B)** on the Rs. 350.00 crore bank facilities of Gaurson Promoters Private Limited (GPPL). This rating is now an indicative rating and is based on best available information.

Non-cooperation by the issuer/borrower:

SMERA has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer / borrower failed to submit such information before due date.

This rating is therefore being flagged as “Issuer not-cooperating”, in line with prevailing SEBI regulations and SMERA's policies.

Applicable Criteria

- Application of Financial Ratios and Adjustments: <https://www.smera.in/criteria-fin-ratios.htm>
- Default Recognition: <https://www.smera.in/criteria-default.htm>

Limitation regarding information availability: The rating is based on information available from sources other than the issuer / borrower (in the absence of information provided by the issuer / borrower). SMERA endeavoured to gather information about the entity / industry from the public domain. Therefore, SMERA cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

About the Rated Entity: Gaursons Promoters Private Limited (GPPL), incorporated in 2006, is a subsidiary of Gaursons India Limited and is engaged in the development of a 112 acre township – Gaur City 2 at Noida, Uttar Pradesh.

Rating History for the last three years:

Name of Instrument /Facilities	FY2018			FY2017		FY2016		FY2015	
	Scale	Amt (Rs. Crore)	Rating	Date	Rating	Date	Rating	Date	Rating
Term Loan	Long Term	350.00	SMERA BB Issuer not co-operating	09 May, 2016	SMERA BB/Stable (Suspension Revoked)	18 Jan, 2016	SMERA BB-/Stable (Suspended)	30 Oct, 2014	SMERA BB-/Stable (Assigned)

Annexure – Details of instruments rated:

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Crore)	Ratings
Term Loan	NA	NA	NA	350.00	SMERA BB (indicative) Issuer not co-operating*

*The issuer did not co-operate; Based on best available information.

Contacts:

Analytical	Rating Desk
Vinayak Nayak Head – Operations, Tel: 022-6714-1190 Email: vinayak.nayak@smera.in Arindam Som Rating Analyst Tel: 011-4973-1321 Email: arindam.som@smera.in	Varsha Bist Manager Tel: 022-67141160 Email: varsha.bist@smera.in

ABOUT SMERA

SMERA Ratings Limited is a joint initiative of SIDBI, Dun & Bradstreet Information Services India Private Limited (D&B) and leading public and private sector banks in India. SMERA is registered with SEBI as a Credit Rating Agency and accredited by Reserve Bank of India. For more details, please visit www.smera.in.

Disclaimer: A SMERA rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. SMERA ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, SMERA, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. SMERA is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. SMERA ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.smera.in) for the latest information on any instrument rated by SMERA.