

Press Release

Synergy Electric Private Limited (SEPL)

July 23, 2019



Rating Update

Total Bank Facilities Rated*	Rs. 48.51 Cr.
Long Term Rating	ACUITE D Issuer non-cooperating*
Short Term Rating	ACUITE D Issuer non-cooperating*

* Refer Annexure for details

Rating Rationale

Acuité has reviewed the long term rating of '**ACUITE D**' (**read as ACUITE D**) and short term rating of '**ACUITE D**' (**read as ACUITE D**) on the Rs.48.51 crore bank facilities of Synergy Electric Private Limited. This rating is now an indicative rating and is based on best available information.

Synergy Electric Private Limited (SEPL) formerly known as Synergy Renewable Energy Private Limited was incorporated in 1999 by Mr. Cecil Antony and Mr. Francis Antony. The company is engaged in the manufacturing of solar photovoltaic module. It has a manufacturing facility at Durgapur, West Bengal with installed capacity of 50 MW per annum.

Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before due date.

This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Applicable Criteria

- Default Recognition-<https://www.acuite.in/view-rating-criteria-17.htm>
- Manufacturing Entities-<https://www.acuite.in/view-rating-criteria-4.htm>
- Financial Ratios And Adjustments - <https://www.acuite.in/view-rating-criteria-20.htm>

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuité endeavoured to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated attempts.

Status of non-cooperation with previous CRA (if applicable)

None

Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Upto last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr)	Ratings/Outlook
10-May-2018	Working Capital Loan	Long Term	3.30	ACUITE D (Reaffirmed)
	Cash Credit	Long Term	7.08	ACUITE D (Reaffirmed)
	Term Loan	Long Term	25.78	ACUITE D (Reaffirmed)
	Overdraft	Long Term	5.35	ACUITE D (Reaffirmed)
	Letter of Credit	Short Term	2.00	ACUITE D (Reaffirmed)
	Bank Guarantee	Short Term	5.00	ACUITE D (Reaffirmed)
21-Ayg-2017	Working Capital Demand Loan	Long Term	3.30	ACUITE D (Indicating)
	Cash Credit	Long Term	7.08	ACUITE D (Indicating)
	Term Loan	Long Term	12.90	ACUITE D (Indicating)
	Term Loan	Long Term	12.88	ACUITE D (Indicating)
	Cash Credit	Long Term	3.70	ACUITE D (Indicating)
	Working Capital Demand Loan	Long Term	1.65	ACUITE D (Indicating)
	Letter of Credit	Short Term	2.00	ACUITE D (Indicating)
	Bank Guarantee	Short Term	5.00	ACUITE D (Indicating)

04-May-2016	Working Capital Term Loan	Long Term	4.95	ACUITE D (Reaffirmed)
	Cash Credit	Long Term	7.08	ACUITE D (Reaffirmed)
	Term Loan	Long Term	12.90	ACUITE D (Reaffirmed)
	Term Loan	Long Term	12.88	ACUITE D (Reaffirmed)
	Over Draft	Long Term	3.70	ACUITE D (Reaffirmed)
	Letter of Credit	Short Term	2.00	ACUITE D (Reaffirmed)
	Bank Guarantee	Short Term	5.00	ACUITE D (Reaffirmed)

***Annexure – Details of instruments rated**

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Crore)	Ratings/Outlook
Working Capital Loan	Not Applicable	Not Applicable	Not Applicable	3.30	ACUITE D Issuer not co-operating*
Cash Credit	Not Applicable	Not Applicable	Not Applicable	7.08	ACUITE D Issuer not co-operating*
Term Loan	Not Applicable	Not Applicable	Not Applicable	25.78	ACUITE D Issuer not co-operating*
Overdraft	Not Applicable	Not Applicable	Not Applicable	5.35	ACUITE D Issuer not co-operating*
Letter of Credit	Not Applicable	Not Applicable	Not Applicable	2.00	ACUITE D Issuer not co-operating*
Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	5.00	ACUITE D Issuer not co-operating*

Contacts:

Analytical	Rating Desk
Pooja Ghosh Head- Corporate and Infrastructure Sector Tel: 033-66201203 pooja.ghosh@acuite.in	Varsha Bist Manager - Rating Desk Tel: 022-67141160 rating.desk@acuite.in
Abhishek Dey Rating Analyst Tel: 033-66201208 abhishek.dey@acuite.ratings.in	

About Acuité Ratings & Research:

Acuité Ratings & Research Limited (*Erstwhile SMERA Ratings Limited*) is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité.