

Press Release

Shanker International Private Limited

January 28, 2021



Rating Update

| | |
|-------------------------------------|---|
| Total Bank Facilities Rated* | Rs. 45.00 Cr.# |
| Long Term Rating | ACUITE B+ (Downgraded from ACUITE BB-) Issuer not co-operating* |
| Short Term Rating | ACUITE A4 (Downgraded from ACUITE A4+) Issuer not co-operating* |

#Refer Annexure for details

*The issuer did not co-operate; based on best available information.

Acuité has downgraded the long term rating to '**ACUITE B+** (read as **ACUITE B plus**) from '**ACUITE BB-**' (read as **ACUITE double B minus**) and the short term rating to '**ACUITE A4**' (read as **ACUITE A four**) from '**ACUITE A4+**' (read as **ACUITE A four plus**) on the Rs. 45.00 crore bank facilities of Shanker International Private Limited (SIPL). The rating continues to be flagged as "Issuer Not-Cooperating" and is downgraded on account of information risk.

The Haryana-based, Shanker International Private Limited (Erstwhile Shanker Timber Store) was established in 1980 as a partnership firm and converted to private limited in 2013. Led by Mr. Ved Prakash Goyal and Mr. Krishan Kumar Goyal, SIPL is engaged in the trading of timber procured from Singapore, New Zealand and Malaysia.

Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before the due date.

This rating continues to be flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-52.htm>
- Manufacturing Entities -<https://www.acuite.in/view-rating-criteria-59.htm>

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuité endeavored to gather information about the entity/industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

Liquidity Indicators - "No information provided by the issuer / available for Acuite to comment upon."

Rating Sensitivity - "No information provided by the issuer / available for Acuite to comment upon."

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

Status of non-cooperation with previous CRA (if applicable)

None

Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Up to last three years)

| Date | Name of Instrument / Facilities | Term | Amount (Rs. Cr) | Ratings/Outlook |
|--------------|---------------------------------|------------|-----------------|--|
| Nov 18, 2019 | Cash Credit | Long Term | 6.00 | ACUITE BB- Issuer not co-operating* |
| | Letter of Credit | Short Term | 39.00 | ACUITE A4+ Issuer not co-operating* |
| Aug 27, 2018 | Cash Credit | Long Term | 6.00 | ACUITE BB- Issuer not co-operating* |
| | Letter of Credit | Short Term | 39.00 | ACUITE A4+ Issuer not co-operating* |
| Oct 12, 2017 | Cash Credit | Long Term | 6.00 | ACUITE BB-/Stable (Reaffirmed) |
| | Letter of Credit | Short Term | 39.00 | ACUITE A4+ (Reaffirmed) |

#Annexure – Details of instruments rated

| Name of the Facilities | Date of Issuance | Coupon Rate | Maturity Date | Size of the Issue (Rs. Crore) | Ratings/Outlook |
|------------------------|------------------|----------------|----------------|-------------------------------|---|
| Cash Credit | Not Applicable | Not Applicable | Not Applicable | 6.00 | ACUITE B+ (Downgraded from ACUITE BB-) Issuer not co-operating* |
| Letter of Credit | Not Applicable | Not Applicable | Not Applicable | 39.00 | ACUITE A4 (Downgraded from ACUITE A4+) Issuer not co-operating* |

*The issuer did not co-operate; based on best available information.

Contacts

| Analytical | Rating Desk |
|--|---|
| Aditya Gupta Head- Corporate and Infrastructure Sector Tel: 022-49294041 aditya.gupta@acuite.in | Varsha Bist Senior Manager - Rating Desk Tel: 022-49294011 rating.desk@acuite.in |
| Charu Mahajan Analyst - Rating Operations Tel: 011-49731302 charu.mahajan@acuite.in | |

About Acuité Ratings & Research:

Acuité Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité.