

Press Release

Ridhi Sidhi Iron Private Limited





Rating Withdrawn and Issuer not co-operating

Product	Quantum (Rs. Cr)	Long Term Rating	Short Term Rating
Bank Loan Ratings	15.00	ACUITE B Withdrawn Issuer not co-operating*	-
Total Outstanding Quantum (Rs. Cr)	0.00	-	-
Total Withdrawn Quantum (Rs. Cr)	15.00	-	-

Rating Rationale

Acuité has withdrawn the long-term rating of 'ACUITE B' (read as ACUITE B) on the Rs.15.00 Cr bank facilities of Ridhi Sidhi Iron Private Limited (RSIPL). The rating withdrawal is in accordance with Acuité's policy on withdrawal of rating. The rating continues to be flagged as "Issuer Not Cooperating".

The rating is being withdrawn on account of request received from the company and NOC received from the banker.

About the Company

RSIPL, established in 2005 as a private company by Mr. Birendra Roy and family is engaged in the manufacturing of M.S. Billet. It has an installed capacity of 250 MT per day. The administrative office and manufacturing facilities of the company are located at Dhanbad, Jharkhand.

Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer / borrower failed to submit such information before due date.

Acuité believes that information risk is a critical component in such ratings, and noncooperation by the issuer along with unwillingness to provide information could be a sign of potential deterioration in its overall credit quality.

This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer / borrower (in the absence of information provided by the issuer / borrower). Acuité endeavoured to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit ratingis based.

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

Rating Sensitivity

No information provided by the issuer/ available for Acuité to comment upon.

Material Covenants

None

Liquidity Position

No information provided by the issuer/ available for Acuité to comment upon.

Outlook

Not Applicable

Status of non-cooperation with previous CRA

Not Applicable

Any other information

None

Applicable Criteria

- Manufacturing Entities: https://www.acuite.in/view-rating-criteria-59.htm
- Default Recognition: https://www.acuite.in/view-rating-criteria-52.htm
- Application Of Financial Ratios And Adjustments: https://www.acuite.in/view-rating-criteria-53.htm

Note on Complexity Levels of the Rated Instrument

https://www.acuite.in/view-rating-criteria-55.htm

Rating History

Date	Name of lstruments/Facilities	Term	Amount (Rs. Cr)	Rating/Outlook
30 Mar 2021	Cash Credit	Long Term	13.00	ACUITE B (Issuer not co- operating*)
	Term Loan	Long Term	2.00	ACUITE B (Issuer not co- operating*)
03 Jan 2020	Term Loan	Long Term	2.00	ACUITE B (Issuer not co- operating*)
	Cash Credit	Long Term	13.00	ACUITE B (Issuer not co- operating*)
06 Oct 2018	Cash Credit	Long Term	13.00	ACUITE B (Issuer not co- operating*)
	Term Loan	Long Term	2.00	ACUITE B (Issuer not co- operating*)
16 May 2017	Term Loan	Long Term	2.00	ACUITE B (Issuer not co- operating*)
	Cash Credit	Long Term	13.00	ACUITE B (Issuer not co- operating*)
16 Feb 2016	Term Loan	Long Term	2.00	ACUITE B Stable (Assigned)
	Cash Credit	Long Term	13.00	ACUITE B Stable (Assigned)

Annexure - Details of instruments rated

Lender's Name	ISIN	Facilities	Date Of Issuance	Coupon Rate	Maturity Date	Quantum (Rs. Cr.)	Rating
Bank of India	Not Applicable	Cash Credit	Not Applicable	Not Applicable	Not Applicable	13.00	ACUITE B Withdrawn Issuer not co- operating*
Bank of India	Not Applicable	Term Loan	Not available	Not available	Not available	2.00	ACUITE B Withdrawn Issuer not co- operating*

^{*}The issuer did not co-operate; based on best available information.

Contacts

Analytical	Rating Desk
Pooja Ghosh Head-Rating Operations Tel: 022-49294041 pooja.ghosh@acuite.in	Varsha Bist Senior Manager-Rating Operations Tel: 022-49294011 rating.desk@acuite.in
Sonal Modi Analyst-Rating Operations Tel: 022-49294065 sonal.modi@acuite.in	

About Acuité Ratings & Research

Acuité Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 8,850 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Kanjurmarg, Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité.