

Press Release

Vallabh Steels Limited

May 19, 2021

Rating Update



Total Bank Facilities Rated*	Rs.60.00 Cr. #		
Long Term Rating	ACUITE D Issuer not co-operating*		
Short Term Rating	ACUITE D Issuer not co-operating*		

[#] Refer Annexure for details

ACUITE has reviewed the long term rating of 'ACUITE D' (read as 'ACUITE D') and short term rating of 'ACUITE D' (read as 'ACUITE D') on the Rs.60.00 Cr bank facilities of Vallabh Steels Limited (VSL). This rating is now an indicative rating and is based on best available information.

Vallabh Steels Limited (VSL), incorporated in 1980 is engaged in the manufacturing of cold rolled coils and ERW Black and galvanized pipes. The manufacturing plant is located at Ludhiana, Punjab and has installed capacity of 40,000 MTPA for cold rolled coils and 7,500 MTPA for galvanized pipes. It is promoted by Mr. Kapil Kumar Jain and others.

Non-cooperation by the issuer/borrower

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer / borrower failed to submit such information before due date.

Acuité believes that information risk is a critical component in such ratings, and non-cooperation by the issuer along with unwillingness to provide information could be a sign of potential deterioration in its overall credit quality.

This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Applicable Criteria

- Default Recognition https://www.acuite.in/view-rating-criteria-52.htm
- Manufacturing Entities https://www.acuite.in/view-rating-criteria-59.htm

Limitation regarding information availability

The rating is based on information available from sources other than the issuer / borrower (in the absence of information provided by the issuer / borrower). Acuité endeavoured to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

Liquidity Indicator

"No information provided by the issuer / available for Acuite to comment upon."

Rating Sensitivity

"No information provided by the issuer / available for Acuite to comment upon."

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

Status of non-cooperation with previous CRA (if applicable)

Not applicable

^{*} The issuer did not co-operate; Based on best available information.



Any other information

Acuité is yet to receive the latest No default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Upto last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr.)	Ratings/Outlook
	Cash Credit	Long Term	38.00	ACUITE D (Downgraded from ACUITE BB-/Stable)
05-Mar-2020	Term Loans	Long Term	7.00	ACUITE D (Downgraded from ACUITE BB-/Stable)
	Letter of Credit	Short Term	6.00	ACUITE D (Downgraded from ACUITE A4)
	Proposed Bank Facility	Long Term	9.00	ACUITE D (Downgraded from ACUITE BB-/Stable)
29-Aug-2019	Cash Credit	Long Term	38.00	ACUITE BB-/Stable (Downgraded from ACUITE BB/Stable)
	Term Loans	Long Term	7.00	ACUITE BB-/Stable (Downgraded from ACUITE BB/Stable)
	Letter of Credit	Short Term	6.00	ACUITE A4 (Downgraded from ACUITE A4+)
	Proposed Bank Facility	Long Term	9.00	ACUITE BB-/Stable (Downgraded from ACUITE BB/Stable)
30-Aug-2018	Cash Credit	Long Term	38.00	ACUITE BB/Stable (Downgraded from ACUITE BB+/Stable)
	Term Loans	Long Term	7.00	ACUITE BB/Stable (Downgraded from ACUITE BB+/Stable)
	Letter of Credit	Short Term	6.00	ACUITE A4+ (Downgraded from ACUITE A3+)
	Proposed Bank Facility	Long Term	9.00	ACUITE BB/Stable (Downgraded from ACUITE BB+/Stable)

#Annexure – Details of instruments rated

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Cr.)	Ratings
Cash Credit	Not Applicable	Not Applicable	Not Applica ble	38.00	ACUITE D Issuer not co-operating*
Term Loans	Not Available	Not Available	Not Availabl e	7.00	ACUITE D Issuer not co-operating*



Letter of Credit	Not Applicable	Not Applicable	Not Applica ble	6.00	ACUITE D Issuer not co-operating*
Proposed Bank Facility	Not Applicable	Not Applicable	Not Applica ble	9.00	ACUITE D Issuer not co-operating*

^{*}The issuer did not co-operate; Based on best available information.

Contacts

Analytical	Rating Desk
Aditya Gupta Vice President- Corporate and Infrastructure Sector	Varsha Bist Senior Manager - Rating Desk
Tel: 022-49294041	Tel: 022-49294011
aditya.gupta@acuite.in	rating.desk@acuite.in
Kumar Abhisek	
Analyst - Rating Operations	
Tel: 011- 49731308	
kumar.abhisek@acuite.in	

About Acuité Ratings & Research:

Acuité Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 8,564 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité, Acuité's rating scale and its definition.