

Press Release

SBIW Steels Private Limited

March 17, 2021

Rating Update



Total Bank Facilities Rated*	Rs. 11.00 Cr. #
Long Term Rating	ACUITE B+ Issuer not co-operating*
Short Term Rating	ACUITE A4 Issuer not co-operating*

*Refer Annexure for details

**The issuer did not co-operate; based on best available information.

Acuite has reviewed the long-term rating of '**ACUITE B+**' (read as **ACUITE B plus**) and short term rating of '**ACUITE A4**' (read as **ACUITE A four**) on the Rs.11.00 crore bank facilities of SBIW Steel Private Limited (SBIW). The rating continues to be flagged as "Issuer Not-Cooperating" and is based on the best available information.

SBIW was established in 2006 by Mr. Jagdish P Goel and family. The firm is engaged in the manufacturing of TMT Bars on job work basis for SAIL and has an installed capacity of 72,000 MT per annum. The manufacturing facilities are located at Durgapur, West Bengal. SBIW reported profit after tax (PAT) of Rs.1.47 crore on operating income of Rs.20.30 crore for FY2014-15, as compared with PAT of Rs.1.36 crore on operating income of Rs.17.29 crore in FY2013-14.

Non-cooperation by the issuer/borrower:

Acuite has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before the due date.

This rating is, therefore, being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuite's policies.

Applicable Criteria

- Default Recognition - <https://www.acuite.in/criteria-default.htm>
- Manufacturing Entities- <https://www.acuite.in/view-rating-criteria-59.htm>

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuite endeavored to gather information about the entity/industry from the public domain. Therefore, Acuite cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

Liquidity Indicators - "No information provided by the issuer / available for Acuite to comment upon."

Rating Sensitivity - "No information provided by the issuer / available for Acuite to comment upon."

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

Status of non-cooperation with previous CRA (if applicable)

None

Any other information

Acuite is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Up to last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr)	Ratings/Outlook
18-Dec-2019	Term Loan	Long Term	2.56	ACUITE B+ Issuer not co-operating*
	Cash Credit	Long Term	2.25	ACUITE B+ Issuer not co-operating*
	Bank Guarantee	Short Term	6.00	ACUITE A4 Issuer not co-operating*
	Letter of Credit	Short Term	0.19	ACUITE A4 Issuer not co-operating*
22-Sept-2018	Term Loan	Long Term	2.56	ACUITE B+ Issuer not co-operating*
	Cash Credit	Long Term	2.25	ACUITE B+ Issuer not co-operating*
	Bank Guarantee	Short Term	6.00	ACUITE A4 Issuer not co-operating*
	Letter of Credit	Short Term	0.19	ACUITE A4 Issuer not co-operating*
27-Sept-2017	Term Loan	Long Term	2.56	ACUITE B+ (Indicative)
	Cash Credit	Long Term	2.25	ACUITE B+ (Indicative)
	Bank Guarantee	Short Term	6.00	ACUITE A4 (Indicative)
	Letter of Credit	Short Term	0.19	ACUITE A4 (Indicative)

*Annexure – Details of instruments rated

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Crore)	Ratings/Outlook
Term Loan	Not Available	Not Applicable	Not Available	2.56	ACUITE B+ Issuer not co-operating*
Cash Credit	Not Applicable	Not Applicable	Not Applicable	2.25	ACUITE B+ Issuer not co-operating*
Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	6.00	ACUITE A4 Issuer not co-operating*
Letter of Credit	Not Applicable	Not Applicable	Not Applicable	0.19	ACUITE A4 Issuer not co-operating*

*The issuer did not co-operate; based on best available information.

Contacts

Analytical	Rating Desk
Aditya Gupta Head- Corporate and Infrastructure Sector Tel: 022-49294041 aditya.gupta@acuите.in Aditya Sahu Analyst - Rating Operations Tel: 022-49294055 aditya.sahu@acuите.in	Varsha Bist Senior Manager – Rating Desk Tel: 022-49294011 rating.desk@acuите.in

About Acuite Ratings & Research:

Acuite Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

Disclaimer: An Acuite rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuite ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuite, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuite is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuite ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuite.