

## Press Release

Forest Press Machineries Private Limited

December 27, 2018



### Rating Update

<b>Total Bank Facilities Rated*</b>	Rs. 18.00 Cr. #
<b>Long Term Rating</b>	ACUITE BB- Issuer not co-operating*
<b>Short Term Rating</b>	ACUITE A4 Issuer not co-operating*

# Refer Annexure for details

\* The issuer did not co-operate; Based on best available information.

Acuité has reviewed long-term rating of '**ACUITE BB-**' (**read as ACUITE double B minus**) and short term rating of '**ACUITE A4**' (**read as ACUITE A four**) on the Rs. 18.00 crore bank facilities of Forest Press Machineries Private Limited (FPMPL). This rating is now an indicative rating and is based on best available information.

FPMPL was incorporated in 2015 by Mr. Manoj Kumar Pillai (MD, Hess India) and Mr. Peter Bullock (Chariman, Forest Press Hydraulics, UK). The company is engaged in the assembling, testing and selling of industrial machinery used in the production of building materials for construction and infrastructure industries. FPMPL specialises in wet-press and wet-cast technology in the Indian market. The manufacturing unit is located at Bommasandra in Bangalore (Karnataka).

#### Non-cooperation by the issuer/borrower

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer / borrower failed to submit such information before due date.

This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

#### Applicable Criteria

- Default Recognition - <https://www.acuite.in/criteria-default.htm>
- Manufacturing Entities - <https://www.acuite.in/view-rating-criteria-4.htm>
- Financial Ratios And Adjustments - <https://www.acuitein/viewratingcriteria40.htm>

#### Limitation regarding information availability

The rating is based on information available from sources other than the issuer / borrower (in the absence of information provided by the issuer / borrower). Acuité endeavoured to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

#### About the Rated Entity - Key Financials

	Unit	FY17 (Provisional)	FY16 (Actual)
Operating Income	Rs. Cr.	17.19	0.00
EBITDA	Rs. Cr.	3.37	-0.04
PAT	Rs. Cr.	1.18	-0.17
EBITDA Margin	(%)	19.57	0.00
PAT Margin	(%)	6.85	0.00
ROCE (%)	(%)	42.99	-2.65
Total Debt/Tangible Net Worth	Times	3.51	1.04
PBDIT/Interest	Times	2.61	-0.27

Total Debt/PBDIT	Times	2.64	-38.34
Gross Current Assets (Days)	Days	244	0

#### Status of non-cooperation with previous CRA (if applicable)

Not Applicable

#### Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

#### Rating History (Upto last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr.)	Ratings/Outlook
09-Jul-2016	Cash Credit	Long Term	2.00	ACUITE BB- / Stable (Assigned)
	Term Loan	Long Term	13.25	ACUITE BB- / Stable (Assigned)
	Proposed Packing Credit	Short Term	2.20	ACUITE A4 (Assigned)
	Bank Guarantee	Short Term	0.55	ACUITE A4 (Assigned)

#### #Annexure – Details of instruments rated

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Cr.)	Ratings
Cash Credit	Not Applicable	Not Applicable	Not Applicable	2.00	ACUITE BB- Issuer not co-operating*
Term loans	Not Applicable	Not Applicable	Not Applicable	13.25	ACUITE BB- Issuer not co-operating*
Bank guarantee/Letter of Guarantee	Not Applicable	Not Applicable	Not Applicable	0.55	ACUITE A4 Issuer not co-operating*
Proposed Packing Credit	Not Applicable	Not Applicable	Not Applicable	2.20	ACUITE A4 Issuer not co-operating*

\*The issuer did not co-operate; Based on best available information.

#### Contacts

Analytical	Rating Desk
Srihari Adari Head - Corporate and Infrastructure Sector Ratings Tel: 040-40042327 <a href="mailto:srihari.adari@acuite.in">srihari.adari@acuite.in</a>	Varsha Bist Manager - Rating Desk Tel: 022-67141160 <a href="mailto:rating.desk@acuite.in">rating.desk@acuite.in</a>
Bhavani Sankar Oruganti Senior Analyst - Rating Operations Tel: 040-40055452 <a href="mailto:bhavani.sankar.oruganti@acuite.ratings.in">bhavani.sankar.oruganti@acuite.ratings.in</a>	

#### About Acuité Ratings & Research:

Acuité Ratings & Research Limited (Erstwhile SMERA Ratings Limited) is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

**Disclaimer:** An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by Acuité.