



Press Release

Jharkhand Grind Chem Private Limited

March 08, 2019

Rating Update

Total Bank Facilities Rated*	Rs. 17.98 Cr.#
Long Term Rating	ACUITE BBB- Issuer not co-operating*
Short Term Rating	ACUITE A3 Issuer not co-operating*

#Refer Annexure for details

*The issuer did not co-operate; based on best available information.

Rating Rationale

Acuité has reviewed the long-term rating of '**ACUITE BBB-**' (**read as ACUITE triple B minus**) and short term rating of '**ACUITE A3**' (**read as ACUITE A three**) on the Rs. 17.98 crore bank facilities of Jharkhand Grind Chem Private Limited (JGPL). This rating is now an indicative rating and is based on best available information.

JGPL was started by Thakur family in 2004 for manufacturing of foundry fluxes and chemicals used as consumables in the foundry works of the steel industry. The manufacturing facility of the company is located at Adityapur in Jamshedpur. The management of JGPL has experience of more than a decade in the given line of business. The top management of JGPL are from engineering background and the day to day activities of the company is managed by Mr. Niranjan Rao who is well supported by experienced and qualified Professionals.

Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before due date.

This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-17.htm>
- Manufacturing Entities - <https://www.acuite.in/view-rating-criteria-4.htm>

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuité endeavored to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

About the Rated Entity - Key Financials

	Unit	FY16 (Actual)	FY15 (Actual)	FY14 (Actual)
Operating Income	Rs. Cr.	39.83	38.34	34.35
EBITDA	Rs. Cr.	3.94	3.75	3.36
PAT	Rs. Cr.	1.68	1.85	1.80
EBITDA Margin	(%)	9.89	9.79	9.77
PAT Margin	(%)	4.21	4.82	5.25
ROCE (%)	(%)	19.48	20.28	25.06
Total Debt/Tangible Net Worth	Times	0.49	0.55	0.75
PBDIT/Interest	Times	3.83	5.79	6.63
Total Debt/PBDIT	Times	1.57	1.60	2.03
Gross Current Assets (Days)	Days	172	160	168

Status of non-cooperation with previous CRA (if applicable)

None

Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Up to last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr)	Ratings/Outlook
05-Jan-2018	Cash Credit	Long Term	8.00	ACUITE BBB- Issuer not co-operating*
	Standby Line of Credit	Long Term	1.20	ACUITE BBB- Issuer not co-operating*
	Term Loan	Long Term	2.78	ACUITE BBB- Issuer not co-operating*
	Letter of Credit	Short Term	5.00	ACUITE A3 Issuer not co-operating*
	Bank Guarantee	Short Term	1.00	ACUITE A3 Issuer not co-operating*
06-Oct-2016	Cash Credit	Long Term	8.00	ACUITE BBB-/Stable (Assigned)
	Standby Line of Credit	Long Term	1.20	ACUITE BBB-/Stable (Assigned)
	Term Loan	Long Term	2.78	ACUITE BBB-/Stable (Assigned)
	Letter of Credit	Short Term	5.00	ACUITE A3 (Assigned)
	Bank Guarantee	Short Term	1.00	ACUITE A3 (Assigned)

***Annexure – Details of instruments rated**

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Crore)	Ratings/Outlook
Cash Credit	Not Applicable	Not Applicable	Not Applicable	8.00	ACUITE BBB- Issuer not co-operating*
Standby Line of Credit	Not Applicable	Not Applicable	Not Applicable	1.20	ACUITE BBB- Issuer not co-operating*
Term Loan	Not Applicable	Not Applicable	Not Applicable	2.78	ACUITE BBB- Issuer not co-operating*
Letter of Credit	Not Applicable	Not Applicable	Not Applicable	5.00	ACUITE A3 Issuer not co-operating*
Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	1.00	ACUITE A3 Issuer not co-operating*

*The issuer did not co-operate; based on best available information.

Contacts

Analytical	Rating Desk
Aditya Gupta Head–Corporate and Infrastructure Sector Ratings Tel: 022- 49294041 aditya.gupta@acuite.in Kashish Shah Senior Analyst - Rating Operations Tel: 022-49294031 kashish.shah@acuiteratings.in	Varsha Bist Manager - Rating Desk Tel: 022-67141160 rating.desk@acuite.in

About Acuité Ratings & Research:

Acuité Ratings & Research Limited (*Erstwhile SMERA Ratings Limited*) is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité.