

Press Release

Baliga Lighting Equipments Private Limited

December 17, 2019



Rating Update

Total Bank Facilities Rated*	Rs. 10.90 Cr. #
Long Term Rating	ACUITE BB+ (Downgraded from ACUITE BBB-) Issuer not co-operating*
Short Term Rating	ACUITE A4+ (Downgraded from ACUITE A3) Issuer not co-operating*

Refer Annexure for details

* The issuer did not co-operate; Based on best available information.

Acuité has downgraded the long-term rating of Baliga Lighting Equipments Private Limited (BLEPL) to '**ACUITE BB+** (read as ACUITE double B plus) from '**ACUITE BBB-** (read as ACUITE triple B minus) and short-term rating to '**ACUITE A4+** (read as ACUITE A four plus) from '**ACUITE A3** (read as ACUITE A three). The rating continues to be flagged as "Issuer Not-Cooperating" and is downgraded on account of information risk.

The Chennai-based BLEPL was incorporated in 1961. The company is engaged in the manufacture of electrical and electronic equipments. It caters to various industries including oil and gas, pharmaceuticals, chemicals, refineries among others. Some of the prominent customers include Reliance Industries Limited, Aurobindo Pharma Limited, Asian Paints Limited to name a few. The manufacturing facilities are located in Chennai with total installed capacity of 2,74,700 units per annum. The overall operations are managed by Mr. R. Ramesh Baliga.

Non-cooperation by the issuer/borrower

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer / borrower failed to submit such information before due date.

Acuité believes that information risk is a critical component in such ratings, and non-cooperation by the issuer along with unwillingness to provide information could be a sign of potential deterioration in its overall credit quality.

This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-17.htm>
- Manufacturing Entities - <https://www.acuite.in/view-rating-criteria-59.htm>

Limitation regarding information availability

The rating is based on information available from sources other than the issuer / borrower (in the absence of information provided by the issuer / borrower). Acuité endeavoured to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

Status of non-cooperation with previous CRA (if applicable)

Not Applicable

Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated

requests and follow-ups.

Rating History (Upto last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr.)	Ratings / Outlook
28-May-2019	Cash Credit	Long Term	5.00	ACUITE BBB- (Indicative)
	Term Loan	Long Term	1.00	ACUITE A3 (Indicative)
	Bank Guarantee	Short Term	1.00	ACUITE A3 (Indicative)
	Letter of Credit	Short Term	2.00	ACUITE A3 (Indicative)
	Proposed Bank Facility	Long Term	1.90	ACUITE BBB- (Indicative)
15-Mar-2018	Cash Credit	Long Term	5.00	ACUITE BBB- / Stable (Upgraded)
	Packing Credit	Short Term	1.00	ACUITE A3 (Upgraded)
	Letter of Credit	Short Term	1.00	ACUITE A3 (Upgraded)
	Bank Guarantee	Short Term	2.00	ACUITE A3 (Upgraded)
	Proposed Bank Facility	Long Term	1.90	ACUITE BBB- / Stable (Assigned)
30-Dec-2016	Cash Credit	Long Term	3.90	ACUITE BB+ / Stable (Assigned)
	Packing Credit	Short Term	1.00	ACUITE A4+ (Assigned)
	Letter of Credit	Short Term	1.50	ACUITE A4+ (Assigned)
	Bank Guarantee	Short Term	4.50	ACUITE A4+ (Assigned)

#Annexure – Details of instruments rated

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Cr.)	Ratings
Cash Credit	Not Applicable	Not Applicable	Not Applicable	5.00	ACUITE BB+ (Downgraded from ACUITE BBB-) Issuer not co-operating*
Packing Credit	Not Applicable	Not Applicable	Not Applicable	1.00	ACUITE A4+ (Downgraded from ACUITE A3) Issuer not co-operating*
Letter of Credit	Not Applicable	Not Applicable	Not Applicable	1.00	ACUITE A4+ (Downgraded from ACUITE A3) Issuer not co-operating*
Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	2.00	ACUITE A4+ (Downgraded from ACUITE A3) Issuer not co-operating*
Proposed Bank Facility	Not Applicable	Not Applicable	Not Applicable	1.90	ACUITE BB+ (Downgraded from ACUITE BBB-) Issuer not co-operating*

*The issuer did not co-operate; Based on best available information.

Contacts

Analytical	Rating Desk
Aditya Gupta Head - Corporate and Infrastructure Sector Ratings Tel: 022-49294041 aditya.gupta@acuite.in	Varsha Bist Manager - Rating Desk Tel: 022-49294011 rating.desk@acuite.in
Rishabh Mundada Analyst - Rating Operations Tel: 022-49294033 rishabh.mundada@acuite.in	

About Acuité Ratings & Research:

Acuité Ratings & Research Limited (Erstwhile SMERA Ratings Limited) is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité.