

Press Release

Ambica Spintex Private Limited

January 24, 2020



Rating Update

Total Bank Facilities Rated*	Rs.41.00Cr.#
Long Term Rating	ACUITE B-/Stable Issuer not co-operating*
Short Term Rating	ACUITE A4 Issuer not co-operating*

#Refer Annexure for details

*The issuer did not co-operate; based on best available information.

Acuité has reviewed the long-term rating of '**ACUITE B-**' (**read as ACUITE B minus**) and the short-term rating of '**ACUITE A4**' (**read as ACUITE A4**) on the Rs.41.00 crore bank facilities of Ambica Spintex Private Limited. This rating is now an indicative rating and is based on best available information.

Ambica Spintex Private Limited (ASPL), a Gujarat-based company incorporated in 2013 was promoted by Mr. Jayantibhai Patel, Mr. Narsinhbhai Patel, Mr. Dilipkumar Patel and others. The company is engaged in the manufacturing of 30s Ne combed hosiery cotton yarn. ASPL has 14,400 spindles with installed capacity of 2851 MT per annum for manufacturing of cotton yarn.

Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before due date.

This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Applicable Criteria

- Default Recognition - <https://www.acuite.in/criteria-default.htm>
- Manufacturing Entities - <https://www.acuite.in/view-rating-criteria-4.htm>

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuité endeavoured to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

About the Rated Entity - Key Financials

The rated entity has not shared the latest Financial Statements despite repeated attempts.

Status of non-cooperation with previous CRA (if applicable)

None

Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Upto last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr)	Ratings/Outlook
13-Nov-2018	Term Loan	Long Term	14.80	ACUITE B- Issuer not co-operating*
	Cash Credit	Long Term	2.00	ACUITE B- Issuer not co-operating*
	Term Loan	Long Term	22.50	ACUITE B- Issuer not co-operating*
	Proposed Bank Facility	Short Term	0.20	ACUITE A4 Issuer not co-operating*
	Bank Guarantee	Short Term	1.50	ACUITE A4 Issuer not co-operating*
22-Sep-2017	Term Loan	Long Term	14.80	ACUITE B-/Stable (Upgraded)
	Cash Credit	Long Term	2.00	ACUITE B-/Stable (Upgraded)
	Term Loan	Long Term	22.50	ACUITE B-/Stable (Upgraded)
	Proposed Bank Facility	Short Term	0.20	ACUITE A4 (Upgraded)
	Bank Guarantee	Short Term	1.50	ACUITE A4 (Upgraded)
30-May-2017	Term Loan	Long Term	14.80	ACUITE D (Assigned)
	Cash Credit	Long Term	2.00	ACUITE D (Assigned)
	Term Loan	Long Term	22.50	ACUITE D (Assigned)
	Proposed Bank Facility	Short Term	0.20	ACUITE D (Assigned)
	Bank Guarantee	Short Term	1.50	ACUITE D (Assigned)

*The issuer did not co-operate; based on best available information.

***Annexure – Details of instruments rated**

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Crore)	Ratings/Outlook
Term Loans	Not Applicable	Not Applicable	Not Applicable	14.80	ACUITE B- Issuer not cooperating*
Cash Credit	Not Applicable	Not Applicable	Not Applicable	2.00	ACUITE B- Issuer not cooperating*
Term Loans	Not Applicable	Not Applicable	Not Applicable	22.50	ACUITE B- Issuer not cooperating*
Proposed Bank Facility	Not Applicable	Not Applicable	Not Applicable	0.20	ACUITE A4 Issuer not co-operating*
Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	1.50	ACUITE A4 Issuer not co-operating*

*The issuer did not co-operate; based on best available information.

Contacts

Analytical	Rating Desk
Aditya Gupta Head- Corporate and Infrastructure Sector Ratings Tel: 022-49294041 aditya.gupta@acuite.in	Varsha Bist Manager - Rating Desk Tel: 022-49294011 rating.desk@acuite.in
Grishma Muni Analyst - Rating Operations Tel: 022-49294035 grishma.muni@acuite.in	

About Acuité Ratings & Research:

Acuité Ratings & Research Limited (*Erstwhile SMERA Ratings Limited*) is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or

completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité.