

Press Release

Solaroy Engineers Private Limited

August 06, 2019



Rating Update

Total Bank Facilities Rated*	Rs. 7.20 Cr. #
Long Term Rating	ACUITE B- Issuer not co-operating*
Short Term Rating	ACUITE A4 Issuer not co-operating*

Refer Annexure for details

* The issuer did not co-operate; Based on best available information.

Acuité has reviewed long-term rating of '**ACUITE B-**' (**read as ACUITE B minus**) and short term rating of '**ACUITE A4**' (**read as ACUITE A four**) on the Rs. 7.20 crore bank facilities of SOLAROY ENGINEERS PRIVATE LIMITED (SEPL). This rating is now an indicative rating and is based on best available information.

Mumbai-based, Solaroy Engineers Private Limited (SEPL) was incorporated in 1986 by Mr. Aroop Roy and Mrs. Carole L. Roy. The company is engaged in the trading of rescue systems and firefighting equipment along with rendering of services related to the said products. The company imports these firefighting equipment from Austria, U.K., France, and China to name a few and supplies to Government entities.

Non-cooperation by the issuer/borrower

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer / borrower failed to submit such information before due date.

This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-17.htm>
- Trading Entities - <https://www.acuite.in/view-rating-criteria-6.htm>
- Financial Ratios and Adjustments - <https://www.acuite.in/view-rating-criteria-20.htm>

Limitation regarding information availability

The rating is based on information available from sources other than the issuer / borrower (in the absence of information provided by the issuer / borrower). Acuité endeavored to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

About the Rated Entity - Key Financials

	Unit	FY18 (Actual)	FY17 (Actual)	FY16 (Actual)
Operating Income	Rs. Cr.	4.80	5.25	2.64
EBITDA	Rs. Cr.	0.31	0.27	0.04
PAT	Rs. Cr.	0.02	(0.00)	(0.20)
EBITDA Margin	(%)	6.49	5.06	1.47
PAT Margin	(%)	0.36	(0.08)	(7.54)
ROCE	(%)	11.29	13.05	1.12
Total Debt/Tangible Net Worth	Times	6.88	2.89	3.04
PBDIT/Interest	Times	1.29	1.08	0.23
Total Debt/PBDIT	Times	7.27	5.63	33.12
Gross Current Assets (Days)	Days	318	205	452

Status of non-cooperation with previous CRA (if applicable)

Not Applicable

Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Upto last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr.)	Ratings/Outlook
28-May-2018	Cash Credit	Long Term	1.84	ACUITE B-/ Stable (Reaffirmed)
	Bank Guarantee	Short Term	2.00	ACUITE A4 (Reaffirmed)
	Letter of Credit	Short Term	1.50	ACUITE A4 (Reaffirmed)
	Letter of Credit	Short Term	2.25	ACUITE A4 (Withdrawn)
	Proposed Bank Facility	Long Term	1.86	ACUITE B-/ Stable (Reaffirmed)
06-July-2017	Cash Credit	Long Term	1.50	ACUITE B- (Indicative)
	Bank Guarantee	Short Term	1.70	ACUITE A4 (Indicative)
	Letter of Credit	Short Term	1.15	ACUITE A4 (Indicative)
	Letter of Credit	Short Term	2.25	ACUITE A4 (Indicative)
	Proposed Bank Facility	Long Term	0.60	ACUITE B- (Indicative)
08-Mar-2016	Cash Credit	Long Term	1.50	ACUITE B-/ Stable (Assigned)
	Bank Guarantee	Short Term	1.70	ACUITE A4 (Assigned)
	Letter of Credit	Short Term	1.15	ACUITE A4 (Assigned)
	Letter of Credit	Short Term	2.25	ACUITE A4 (Assigned)
	Proposed Bank Facility	Long Term	0.60	ACUITE B-/ Stable (Assigned)

#Annexure – Details of instruments rated

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Cr.)	Ratings
Cash Credit	Not Applicable	Not Applicable	Not Applicable	1.84	ACUITE B- Issuer not co-operating*
Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	2.00	ACUITE A4 Issuer not co-operating*
Letter of Credit	Not Applicable	Not Applicable	Not Applicable	1.50	ACUITE A4 Issuer not co-operating*
Proposed Bank Facility	Not Applicable	Not Applicable	Not Applicable	1.86	ACUITE B- Issuer not co-operating*

*The issuer did not co-operate; Based on best available information.

Contacts

Analytical	Rating Desk
Aditya Gupta Head - Corporate and Infrastructure Sector Ratings Tel: 022-49294041 aditya.gupta@acuite.in	Varsha Bist Manager - Rating Desk Tel: 022-49294021 rating.desk@acuite.in
Priyal Jain Analyst - Rating Operations Tel: 022-49294063 priyal.jain@acuite.in	

About Acuité Ratings & Research:

Acuité Ratings & Research Limited (Erstwhile SMERA Ratings Limited) is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité.