

Press Release

Frystal Pet Private Limited

July 29, 2021

Rating Update



Total Bank Facilities Rated*	Rs. 25.00 Cr.#
Long Term Rating	ACUITE BB- (Downgraded from ACUITE BB) Issuer not co-operating*

#Refer Annexure for details

*The issuer did not co-operate; based on best available information.

Acuite has downgraded the long term rating to '**ACUITE BB-**' (read as **ACUITE double B minus**) from '**ACUITE BB**' (read as **ACUITE double B**) on the Rs. 25.00 crore bank facilities of Frystal Pet Private Limited (FPPL). The rating continues to be flagged as "Issuer Not-Cooperating" and is downgraded on account of information risk.

FPPL is a Delhi-based company incorporated in 2010. Promoted by Mr. Nishit Singhal, Mr. Rakesh Kumar and Mr. Mayur Singhal, the company manufactures pet preform used in the production of plastic bottles. The manufacturing facility is located at Rajasthan with installed capacity of 7,200 Metric Ton (MT) per annum. FPPL caters to companies in the beverages industry.

Non-cooperation by the issuer/borrower:

Acuite has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before the due date.

Acuite believes that information risk is a critical component in such ratings, and non-cooperation by the issuer along with an unwillingness to provide information could be a sign of potential deterioration in its overall credit quality.

This rating continues to be flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuite's policies.

Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-52.htm>
- Manufacturing Entities - <https://www.acuite.in/view-rating-criteria-59.htm>

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuite endeavored to gather information about the entity/industry from the public domain. Therefore, Acuite cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

Liquidity Indicators - "No information provided by the issuer / available for Acuite to comment upon."

Rating Sensitivity - "No information provided by the issuer / available for Acuite to comment upon."

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

Status of non-cooperation with previous CRA (if applicable)

None

Any other information

Acuite is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Up to last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr)	Ratings/Outlook
07-May-2020	Term Loan	Long Term	11.50	ACUITE BB Issuer not co-operating*
	Cash Credit	Long Term	9.50	ACUITE BB Issuer not co-operating*
	Proposed Cash Credit	Long Term	4.00	ACUITE BB Issuer not co-operating*
14-Mar-2019	Term Loan	Long Term	11.50	ACUITE BB Issuer not co-operating*
	Cash Credit	Long Term	9.50	ACUITE BB Issuer not co-operating*
	Proposed Cash Credit	Long Term	4.00	ACUITE BB Issuer not co-operating*
04-Jan-2018	Term Loan	Long Term	11.50	ACUITE BB/ Stable (Assigned)
	Cash Credit	Long Term	9.50	ACUITE BB/ Stable (Assigned)
	Proposed Cash Credit	Long Term	4.00	ACUITE BB/ Stable (Assigned)

#Annexure – Details of instruments rated

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Crore)	Ratings/Outlook
Term Loan	Not Available	Not Available	Not Available	11.50	ACUITE BB- (Downgraded from ACUITE BB) Issuer not co-operating*
Cash Credit	Not Applicable	Not Applicable	Not Applicable	9.50	ACUITE BB- (Downgraded from ACUITE BB) Issuer not co-operating*
Proposed Cash Credit	Not Applicable	Not Applicable	Not Applicable	4.00	ACUITE BB- (Downgraded from ACUITE BB) Issuer not co-operating*

*The issuer did not co-operate; based on best available information.

Contacts

Analytical	Rating Desk
Aditya Gupta Vice President – Corporate and Infrastructure Sector Tel: 022-49294041 aditya.gupta@acuite.in Ashvita Ramesh Analyst - Rating Operations Tel: 022-49294065 ashvita.ramesh@acuite.in	Varsha Bist Senior Manager - Rating Desk Tel: 022-49294011 rating.desk@acuite.in

About Acuite Ratings & Research:

Acuite Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 8,739 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

Disclaimer: *An Acuite rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuite ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuite, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuite is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuite ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuite, Acuite's rating scale and its definitions.*