

Press Release

Stream Ceramic Private Limited

October 20, 2021



Rating Update

Total Bank Facilities Rated*	Rs.8.05 Cr.#
Long Term Rating	ACUITE B+ Issuer not co-operating*
Short Term Rating	ACUITE A4 Issuer not co-operating*

#Refer Annexure for details

*The issuer did not co-operate; based on best available information.

Acuité has reviewed the long term rating to '**ACUITE B+**' (**read as ACUITE B plus**) and short term rating to '**ACUITE A4**'(**read as ACUITE A four**) the Rs.8.05 Cr bank facilities of Stream Ceramic Private Limited(SCPL). The rating continues to be flagged as "Issuer Not-Cooperating" and is based on the best available information.

SCPL, incorporated in 2013, is engaged in the manufacturing of ceramic tiles at their factory located in Morbi (Gujarat). The company sells under 'STREAM' brand. The company started its commercial production in July 2015. The promoters are Mr. Devraj Sanandiya, Mr. Ashwin Sanandiya, Mr. Shreyas Jethloja, Mr. Mayur Jetpuriya and Mr. Pradeep Kundaria.

Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before the due date.

Acuité believes that information risk is a critical component in such ratings, and non-cooperation by the issuer along with unwillingness to provide information could be a sign of potential deterioration in its overall credit quality.

This rating continues to be flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-52.htm>
- Manufacturing Entities- <https://www.acuite.in/view-rating-criteria-59.htm>

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuité endeavored to gather information about the entity/industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

Liquidity Indicators

"No information provided by the issuer / available for Acuite to comment upon."

Rating Sensitivity

"No information provided by the issuer / available for Acuite to comment upon."

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

Status of non-cooperation with previous CRA (if applicable)

None

Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Up to last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr)	Ratings/Outlook
23rd July, 2018	Cash Credit	Long Term	3.00	ACUITE B+ Issuer not co-operating*
	Term Loan	Long Term	3.86	ACUITE B+ Issuer not co-operating*
	Proposed Bank Facility	Long Term	0.16	ACUITE B+ Issuer not co-operating*
	Bank Guarantee	Short Term	1.03	ACUITE A4 Issuer not co-operating*
24th Apr, 2019	Cash Credit	Long Term	3.00	ACUITE B+ Issuer not co-operating*
	Term Loan	Long Term	3.86	ACUITE B+ Issuer not co-operating*
	Proposed Bank Facility	Long Term	0.16	ACUITE B+ Issuer not co-operating*
	Bank Guarantee	Short Term	1.03	ACUITE A4 Issuer not co-operating*
22nd Feb, 2018	Cash Credit	Long Term	3.00	ACUITE B+/Stable (Assigned)
	Term Loan	Long Term	3.86	ACUITE B+/Stable (Assigned)
	Proposed Bank Facility	Long Term	0.16	ACUITE B+/Stable (Assigned)
	Bank Guarantee	Short Term	1.03	ACUITE A4 (Assigned)

*The issuer did not co-operate; based on best available information.

#Annexure – Details of instruments rated

Lender Name	Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Crore)	Ratings/Outlook
Bank Of Baroda	Cash Credit	Not Applicable	Not Applicable	Not Applicable	3.00	ACUITE B+ Issuer not co-operating*
Bank Of Baroda	Term Loan	Not Available	Not Available	Not Available	3.86	ACUITE B+ Issuer not co-operating*
Bank Of Baroda	Proposed Bank facility	Not Applicable	Not Applicable	Not Applicable	0.16	ACUITE B+ Issuer not co-operating*
Bank Of Baroda	Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	1.03	ACUITE A4 Issuer not co-operating*

*The issuer did not co-operate; based on best available information.

Contacts

Analytical	Rating Desk
Aditya Gupta Vice President – Rating Operations Tel: 022-49294041 aditya.gupta@acuite.in	Varsha Bist Senior Manager - Rating Desk Tel: 022-49294011 rating.desk@acuite.in
Rohan Gambhir Analyst – Rating Operations Tel: 022-49294044 rohan.gambhir@acuite.in	

About Acuité Ratings & Research:

Acuité Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 8,850 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Kanjurmarg, Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité, Acuité's rating scale and its definitions.