

Press Release

Shiva Wheels Private Limited

October 29, 2021



Rating Update

Total Bank Facilities Rated*	Rs. 9.88 Cr.#
Long Term Rating	ACUITE B+ Issuer not co-operating*

#Refer Annexure for details

*The issuer did not co-operate; based on best available information.

Acuité has reviewed the long-term rating of '**ACUITE B+** (read as **ACUITE B plus**) on the Rs. 9.88 crore bank facilities of Shiva Wheels Private Limited (SWPL). The rating continues to be flagged as "Issuer Not-Cooperating" and is based on the best available information.

SWPL was incorporated in 2003 before which it was a partnership firm. It is based in Kolkata, West Bengal. The current directors are Mr. Sanjib Paul, Ms. Gouri Rani Paul, Mr. Kausik Paul, and Mr. Souvik Paul. The company is engaged in the dealership of motor vehicles of Honda for the last 8 years. It was engaged in dealership of ancillary auto parts before it. It has showrooms and a service centre at present in Kolkata and plans to inaugurate another service centre in Birati.

Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before the due date.

This rating is, therefore, being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-52.htm>
- Trading Entities - <https://www.acuite.in/view-rating-criteria-61.htm>

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuité endeavored to gather information about the entity/industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

Liquidity Indicators - "No information provided by the issuer / available for Acuite to comment upon."

Rating Sensitivity - "No information provided by the issuer / available for Acuite to comment upon."

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

Status of non-cooperation with previous CRA (if applicable)

None

Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Up to last three years)

Date	Name of Instrument / Facilities	Term	Size of the Issue (Rs. Cr.)	Ratings/Outlook
04-Aug-2020	Channel Financing	Long term	6.00	ACUITE B+ Issuer not co-operating*
	Channel Financing	Long term	0.10	ACUITE B+ Issuer not co-operating*
	Term Loan	Long term	2.66	ACUITE B+ Issuer not co-operating*
	Term Loan	Long term	1.12	ACUITE B+ Issuer not co-operating*
10-May-2019	Channel Financing	Long term	6.00	ACUITE B+ Issuer not co-operating*
	Channel Financing	Long term	0.10	ACUITE B+ Issuer not co-operating*
	Term Loan	Long term	2.66	ACUITE B+ Issuer not co-operating*
	Term Loan	Long term	1.12	ACUITE B+ Issuer not co-operating*
13-Mar-2018	Channel Financing	Long term	6.00	ACUITE B+/ Stable (Assigned)
	Channel Financing	Long term	0.10	ACUITE B+/ Stable (Assigned)
	Term Loan	Long term	2.66	ACUITE B+/ Stable (Assigned)
	Term Loan	Long term	1.12	ACUITE B+/ Stable (Assigned)

***Annexure – Details of instruments rated**

Lender Name	Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Cr.)	Ratings/Outlook
State Bank of India	Channel Financing	Not Applicable	Not Applicable	Not Applicable	6.00	ACUITE B+ (Indicative)
State Bank of India	Channel Financing	Not Applicable	Not Applicable	Not Applicable	0.10	ACUITE B+ (Indicative)
State Bank of India	Term Loan	Not Available	Not Available	Not Available	2.66	ACUITE B+ (Indicative)
State Bank of India	Term Loan	Not Available	Not Available	Not Available	1.12	ACUITE B+ (Indicative)

*The issuer did not co-operate; based on best available information.

Contacts

Analytical	Rating Desk
Pooja Ghosh Head- Corporate and Infrastructure Sector Ratings Tel: 033-66201203 pooja.ghosh@acuite.in	Varsha Bist Senior Manager – Rating Desk Tel: 022-49294011 rating.desk@acuite.in
Shubhaditya Sarkar Analyst – Rating Operations Tel: 033-66201212 shubhaditya.sarkar@acuite.in	

About Acuité Ratings & Research:

Acuité Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 8,850 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Kanjurmarg, Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité.