

Press Release



Nash Robotics and Automation Private Limited

February 22, 2021

Rating Update

Total Bank Facilities Rated*	Rs. 16.00 Cr.#
Long Term Rating	ACUITE BB (Downgraded from ACUITE BB+) Issuer not co-operating*
Short Term Rating	ACUITE A4+ Issuer not co-operating*

#Refer Annexure for details

*The issuer did not co-operate; based on best available information.

Acuite has downgraded the long term rating to '**ACUITE BB**' (read as **ACUITE double B**) from '**ACUITE BB+**' (read as **ACUITE double B plus**) and reviewed the short-term rating of '**ACUITE A4+**' (read as **ACUITE A four plus**) on the Rs. 16.00 crore bank facilities of Nash Robotics and Automation Private Limited (NRAPL). The rating continues to be flagged as "Issuer Not-Cooperating" and is downgraded on account of information risk.

Mumbai based NRAPL, incorporated in 1992 and is engaged in the business of manufacturing of welding machines and industrial components such as IT guns, welding controllers, automated machines and related accessories, which primarily find application in the automotive industry and other various industries. The company has its Registered Office and manufacturing facility at Nashik, Maharashtra. NRAPL is an ISO 9001:2008, certified company. Directors of Nash Robotics & Automation Private Limited are Durga Chander Kewalramani, Bharat Chander Kewalramani, Anil Ashok Khatri, Dayal Showkatramani Gordhandas, Ashok Thakurdas Khatri and Chander Dharamdas Kewalramani.

Non-cooperation by the issuer/borrower:

Acuite has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before the due date.

This rating continues to be flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuite's policies.

Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-52.htm>
- Manufacturing Entities - <https://www.acuite.in/view-rating-criteria-59.htm>

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuite endeavored to gather information about the entity/industry from the public domain. Therefore, Acuite cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

Liquidity Indicators - "No information provided by the issuer / available for Acuite to comment upon."

Rating Sensitivity - "No information provided by the issuer / available for Acuite to comment upon."

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

Status of non-cooperation with previous CRA (if applicable)

None

Any other information

Acuite is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Rating History (Up to last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr)	Ratings/Outlook
18-Dec-2019	Cash Credit	Long Term	8.00	ACUITE BB+ (Downgraded from ACUITE BBB-) Issuer not co-operating*
	Bank Guarantee	Short Term	5.00	ACUITE A4+ (Downgraded from ACUITE A3) Issuer not co-operating*
	Letter of Credit	Short Term	2.00	ACUITE A4+ (Downgraded from ACUITE A3) Issuer not co-operating*
	Proposed Bank Facility	Short Term	1.00	ACUITE A4+ (Downgraded from ACUITE A3) Issuer not co-operating*
02-Apr-2019	Cash Credit	Long Term	8.00	ACUITE BBB- Issuer not cooperating*
	Bank Guarantee	Short Term	5.00	ACUITE A3 Issuer not cooperating*
	Letter of Credit	Short Term	2.00	ACUITE A3 Issuer not cooperating*
	Proposed Bank Facility	Short Term	1.00	ACUITE A3 Issuer not cooperating*
16-Apr-2018	Cash Credit	Long Term	8.00	ACUITE BBB-/Stable (Assigned)
	Bank Guarantee	Short Term	5.00	ACUITE A3 (Assigned)
	Letter of Credit	Short Term	2.00	ACUITE A3 (Assigned)
	Proposed Bank Facility	Short Term	1.00	ACUITE A3 (Assigned)

#Annexure – Details of instruments rated

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Crore)	Ratings/Outlook
Cash Credit	Not Applicable	Not Applicable	Not Applicable	8.00	ACUITE BB (Downgraded from ACUITE BB+) Issuer not co-operating*
Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	5.00	ACUITE A4+ Issuer not co-operating*
Letter of Credit	Not Applicable	Not Applicable	Not Applicable	2.00	ACUITE A4+ Issuer not co-operating*
Proposed Bank Facility	Not Applicable	Not Applicable	Not Applicable	1.00	ACUITE A4+ Issuer not co-operating*

*The issuer did not co-operate; based on best available information.

Contacts

Analytical	Rating Desk
Aditya Gupta Head- Corporate and Infrastructure Sector Tel: 022-49294041 aditya.gupta@acuite.in Saurabh Rane Analyst - Rating Operations Tel: 02249294034 saurabh.rane@acuite.in	Varsha Bist Senior Manager - Rating Desk Tel: 022-49294011 rating.desk@acuite.in

About Acuité Ratings & Research:

Acuité Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité.