

## Press Release

### R N Forging Private Limited

July 08, 2021



### Rating Withdrawn

<b>Total Bank Facilities Rated*</b>	Rs.9.00 crore #
<b>Long Term Rating</b>	ACUITE B+ (Withdrawn; Issuer not co-operating*)

#Refer Annexure for details

\* The issuer did not co-operate; based on best available information.

### Rating Rationale

Acuité has withdrawn the long-term rating of '**ACUITE B+** (read as ACUITE B plus) on the Rs.7.00 crore bank facilities of R. N. Forging Private Limited (RNFPL). This rating continues to be an indicative rating and is based on the best available information.

The rating withdrawal is in accordance with Acuité's policy on withdrawal of rating and on account of request received from the company and no objection certificate received from the banker.

### About the rated entity

R.N. Forging Private Limited (RNFPL) incorporated in 1997 by Mr. Nitin Jain, Mrs. Alka Jain and Mr. Chandra Mohan Mishra is engaged in the manufacturing of MS ingots using scrap and sponge iron as its raw material. The manufacturing unit is located at Jaipur, with an installed capacity of 30,000 tons per annum.

### About the group

Lupin Forging Private Limited (LFPL), incorporated in 2009 by Mr. Sukhmal Kumar Jain and Mrs. Saroj Jain, is engaged in the manufacturing of steel and iron angles, sheets, bars among others. The manufacturing unit is located at Jaipur, with an installed capacity of 20,000 tons per annum.

### Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before the due date.

Acuité believes that information risk is a critical component in such ratings, and non-cooperation by the issuer along with unwillingness to provide information could be a sign of potential deterioration in its overall credit quality.

This rating continues to be flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

**Liquidity Indicators** - "No information provided by the issuer / available for Acuite to comment upon."

**Rating Sensitivity** - "No information provided by the issuer / available for Acuite to comment upon."

### Applicable Criteria

- Manufacturing Entities - <https://www.acuite.in/view-rating-criteria-59.htm>
- Default Recognition: <https://www.acuite.in/view-rating-criteria-52.htm>

### Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuité endeavored to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

### About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

### Status of non-cooperation with previous CRA (if applicable)

Not applicable

### Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

### Rating History (Upto last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr.)	Ratings/Outlook
08-Sep-2020	Cash Credit	Long Term	9.00	ACUITE B+ (Downgraded from BB-) Issuer not co-operating*
25-June-2019	Cash Credit	Long Term	9.00	ACUITE BB- Issuer not co-operating*
18-Apr-2018	Cash Credit	Long Term	9.00	ACUITE BB-/Stable (Assigned)

### \*Annexure – Details of instruments rated

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Cr.)	Ratings/Outlook
Cash Credit	Not Applicable	Not Applicable	Not Applicable	9.00	ACUITE B+ (Withdrawn) Issuer not co-operating*

\*The issuer did not co-operate; based on best available information

### Contacts

Analytical	Rating Desk
Aditya Gupta Vice President - Corporate and Infrastructure Sector Tel: 022 49294041 <a href="mailto:aditya.gupta@acuite.in">aditya.gupta@acuite.in</a>	Varsha Bist Senior Manager - Rating Desk Tel: 022 49294011 <a href="mailto:rating.desk@acuite.in">rating.desk@acuite.in</a>
Pooja Sawant Senior Analyst – Rating Operations <a href="mailto:pooja.sawant@acuite.in">pooja.sawant@acuite.in</a>	

### **About Acuité Ratings & Research:**

Acuité Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

**Disclaimer:** An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by Acuité.