

Press Release

Ghaziabad Mechfeb Private Limited



Rating Reaffirmed and Issuer not co-operating



Product	Quantum (Rs. Cr)	Long Term Rating	Short Term Rating		
Bank Loan Ratings	5.50	ACUITE B+ Reaffirmed Issuer not co-operating*	-		
Bank Loan Ratings	7.00	-	ACUITE A4 Reaffirmed Issuer not co-operating*		
Total Outstanding Quantum (Rs. Cr)	12.50	-	-		
Total Withdrawn Quantum (Rs. Cr)	0.00	-	-		

Rating Rationale

Acuité has reaffirmed the long-term rating of 'ACUITE B+' (read as ACUITE B Plus) and the short-term rating of 'ACUITE A4' (read as ACUITE A Four) on the Rs.12.50 Crore bank facilities of Ghaziabad Mechfeb Private Limited (GMPL). The rating continues to be flagged as "Issuer Not Cooperating" and is based on the best available information.

About the Company

GMPL, incorporated in 1996 and promoted by Mr. Subodh Gupta, manufactures preengineered buildings and components. The manufacturing facility of the company is located at Ghaziabad in Uttar Pradesh. The company have been associated with client such as Delhi Metro Rail Corporation (DMRC), NTPC and Shiv Shankar Construction Private Limited, to name a few.

Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before the due date.

This rating is, therefore, being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuité endeavored to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated attempts.

Rating Sensitivity

No information provided by the issuer / available for Acuite to comment upon.

Material Covenants

Not Applicable

Liquidity Position

No information provided by the issuer / available for Acuite to comment upon.

Outlook

Not Applicable

Status of non-cooperation with previous CRA

GMPL's rating was flagged off as Issuer not cooperating with ICRA, through its rating rationale dated December 14th, 2020. The reason provided by ICRA is non-furnishing of information by GMPL.

Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

Applicable Criteria

- Manufacturing Entities: https://www.acuite.in/view-rating-criteria-59.htm
- Default Recognition: https://www.acuite.in/view-rating-criteria-52.htm
- Application Of Financial Ratios And Adjustments: https://www.acuite.in/view-rating-criteria-53.htm

Note on Complexity Levels of the Rated Instrument

https://www.acuite.in/view-rating-criteria-55.htm

Rating History

Date	Name of Instruments/Facilities	Term	Amount (Rs. Cr)	Rating/Outlook
31 Mar	Cash Credit	Long Term	5.50	ACUITE B+ (Downgraded and Issuer not co-operating*)
2021	Bank Guarantee	Short Term	7.00	ACUITE A4 (Downgraded and Issuer not co-operating*)
15 Jan 2020	Bank Guarantee	Short Term	7.00	ACUITE A4+ (Reaffirmed)
	Cash Credit	Long Term	5.50	ACUITE BB- Stable (Reaffirmed)

05 Sep	• •		7.00	ACUITE A4+ (Issuer not co-operating*)	
2019 Cash Credit		Long Term	5.50	ACUITE BB- (Issuer not co-operating*)	
29 Jun	Cash Credit	Long Term	5.50	ACUITE BB- Stable (Assigned)	
2018	Bank Guarantee		7.00	ACUITE A4+ (Assigned)	

Annexure - Details of instruments rated

Lender's Name	ISIN	Facilities	Date Of Issuance	Coupon Rate	Maturity Date	Quantum (Rs. Cr.)	Rating
State Bank of India	Not Applicable	Bank Guarantee (BLR)	Not Applicable	Not Applicable	Not Applicable	7.00	ACUITE A4 Reaffirmed Issuer not co- operating*
State Bank of India	Not Applicable	Cash Credit	Not Applicable	Not Applicable	Not Applicable	5.50	ACUITE B+ Reaffirmed Issuer not co- operating*

Contacts

Analytical	Rating Desk
Aditya Gupta Vice President-Rating Operations Tel: 022-49294041 aditya.gupta@acuite.in	Varsha Bist Senior Manager-Rating Operations Tel: 022-49294011 rating.desk@acuite.in
Radhika Kolwankar Junior Analyst-Rating Operations Tel: 022-49294065 radhika.kolwankar@acuite.in	

About Acuité Ratings & Research

Acuité is a full-service Credit Rating Agency registered with the Securities & Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI) for Bank Loan Ratings under BASEL-II norms in the year 2012. Acuité has assigned ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Kanjurmarg, Mumbai.

Disclaimer: An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Ratings assigned by Acuité are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind, arising from the use of its ratings. Ratings assigned by Acuité are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuité.