

## Press Release

Mrinalini Biri Manufacturing Company Private Limited

February 10, 2020



### Rating Withdrawn

<b>Total Bank Facilities Rated</b>	Rs. 8.50 Cr.#
<b>Long Term Rating</b>	ACUITE BB (Downgraded & Withdrawn; Issuer not co-operating*)
<b>Short Term Rating</b>	ACUITE A4+ (Withdrawn; Issuer not co-operating*)

# Refer Annexure for details

\* The issuer did not co-operate; Based on best available information.

### Rating Rationale

Acuité has downgraded and withdrawn the long-term rating of '**ACUITE BB**' (**read as ACUITE double B**) from '**ACUITE BB+**' (**read as ACUITE double B plus**) and review the short-term rating of '**ACUITE A4+**' (**read as ACUITE A four plus**) on the Rs.8.50 crore bank facilities of Mrinalini Biri Manufacturing Company Private Limited (MBMCPL). The rating withdrawal is in accordance with Acuité's policy on withdrawal of rating. The rating continues to be flagged as "Issuer Not-Cooperating" and is downgraded on account of information risk.

The rating is being withdrawn on account of request received from the company and NOC received from the banker.

The West Bengal based, MBMCPL was founded in 1924 as a partnership firm and later converted into a private limited company in 1942. Currently, the operations are managed by the third generation headed by Mr. Tapan Kumar Das and Mr. Samir Kumar Das among others. The company is engaged in manufacturing of biris with a capacity of one crore biri sticks per day.

#### Non-cooperation by the issuer/borrower

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer / borrower failed to submit such information before due date.

Acuité believes that information risk is a critical component in such ratings, and non-cooperation by the issuer along with unwillingness to provide information could be a sign of potential deterioration in its overall credit quality.

#### Applicable Criteria

- Default Recognition -<https://www.acuite.in/view-rating-criteria-52.htm>
- Manufacturing Entities-<https://www.acuite.in/view-rating-criteria-59.htm>

#### Limitation regarding information availability

The rating is based on information available from sources other than the issuer / borrower (in the absence of information provided by the issuer / borrower). Acuité endeavoured to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

#### Liquidity Position

No information provided by the issuer/ available for Acuité to comment upon.

#### Rating Sensitivities

No information provided by the issuer/ available for Acuité to comment upon.

#### About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

**Status of non-cooperation with previous CRA (if applicable)**

Not Applicable

**Any other information**

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

**Rating History (Upto last three years)**

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr.)	Ratings/Outlook
09-Jan-2020	Cash Credit	Long Term	8.00	ACUITE BB+ (Downgraded & Indicative)
	Bank Guarantee	Short Term	0.40	ACUITE A4+ (Downgraded & Indicative)
	Proposed Bank Facility	Long Term	0.10	ACUITE BB+ (Downgraded & Indicative)
30-Oct-2018	Cash Credit	Long Term	8.00	ACUITE BBB-/Stable (Assigned)
	Bank Guarantee	Short Term	0.40	ACUITE A3 (Assigned)
	Proposed Bank Facility	Long Term	0.10	ACUITE BBB-/Stable (Assigned)

**\*Annexure – Details of instruments rated**

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Cr.)	Ratings/Outlook
Cash Credit	Not Applicable	Not Applicable	Not Applicable	8.00	ACUITE BB (Downgraded & Withdrawn; Issuer not co-operating*)
Bank Guarantee	Not Available	Not Applicable	Not Available	0.40	ACUITE A4+ (Withdrawn; Issuer not co-operating*)
Proposed Bank Facility	Not Applicable	Not Applicable	Not Applicable	0.10	ACUITE BB (Downgraded & Withdrawn; Issuer not co-operating*)

**Contacts**

Analytical	Rating Desk
Aditya Gupta Vice President- Corporate and Infrastructure Sector Tel: 022-49294041  <a href="mailto:aditya.gupta@acuite.in">aditya.gupta@acuite.in</a>	Varsha Bist Senior Manager - Rating Desk Tel: 022-49294011 <a href="mailto:rating.desk@acuite.in">rating.desk@acuite.in</a>
Aishwarya Phalke Senior Analyst - Rating Operations Tel: 022-49294031 <a href="mailto:aishwarya.phalke@acuite.in">aishwarya.phalke@acuite.in</a>	

**About Acuité Ratings & Research:**

Acuité Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

**Disclaimer:** An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by Acuité.