

## Press Release

### Sri Vyjayanthi Labs Private Limited

April 15, 2020



### Rating Update

|                                     |  |
|-------------------------------------|--|
| <b>Total Bank Facilities Rated#</b> | Rs.8.00 Cr.  |
| <b>Long Term Rating</b>             | ACUITE BB-<br>(Downgraded from ACUITE BB/Stable)<br>Issuer not co-operating* |
| <b>Short Term Rating</b>            | ACUITE A4+<br>Issuer not co-operating*                                       |

#Refer Annexure for details

\*The issuer did not co-operate; based on best available information.

### Rating Rationale

Acuité has downgraded the long-term rating to '**ACUITE BB-**' (**read as ACUITE double B Minus**) from '**ACUITE BB**' (**read as ACUITE double B**) and reviewed the short-term rating to '**ACUITE A4+**' (**read as ACUITE A four plus**) on the Rs.8.00 crore bank facilities of Sri Vyjayanthi Labs Private Limited (SVPL). The rating continues to be flagged as "Issuer Not-Cooperating" and is downgraded on account of information risk.

SVPL, incorporated in July 1982, was taken over by the current management Mr. Mudunuri Venkata Satyanarayana Raju and Mrs. Sree Devi Mudunuri in 2008 from the previous management. The company is engaged in the manufacture of active pharmaceutical ingredients (APIs) and pharmaceutical intermediates. SPPL has its manufacturing facility at J.N.Pharma City in Visakhapatnam with an installed capacity of 50 Metric Tons Per annum.

#### Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before due date. This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

Acuité believes that information risk is a critical component in such ratings, and non-cooperation by the issuer along with unwillingness to provide information could be a sign of potential deterioration in its overall credit quality.

#### Applicable Criteria

- Default Recognition: <https://www.acuite.in/view-rating-criteria-52.htm>
- Manufacturing Sector Entities - <https://www.acuite.in/view-rating-criteria-59.htm>

#### Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuité endeavoured to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

#### About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

#### Status of non-cooperation with previous CRA (if applicable)

None

#### Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

### Rating History (Upto last three years)

| Date        | Name of Instrument / Facilities | Term       | Amount (Rs. Cr) | Ratings/Outlook             |
|-------------|---------------------------------|------------|-----------------|-----------------------------|
| 12-Feb-2019 | Proposed Cash Credit            | Long Term  | 5.00            | ACUITE BB/Stable (Assigned) |
|             | Term Loans                      | Long Term  | 1.50            | ACUITE BB/Stable (Assigned) |
|             | Proposed Letter of credit       | Short Term | 1.50            | ACUITE A4+ (Assigned)       |

### # Annexure – Details of instruments rated

| Name of the Facilities    | Date of Issuance | Coupon Rate    | Maturity Date  | Size of the Issue (Rs. Crore) | Ratings/Outlook  |
|---------------------------|------------------|----------------|----------------|-------------------------------|--|
| Proposed Cash Credit      | Not Applicable   | Not Applicable | Not Applicable | 5.00                          | ACUITE BB-<br>Issuer not co-operating*<br>(Downgraded from ACUITE BB/Stable) |
| Term Loans                | Not Available    | Not Applicable | Not Available  | 1.50                          | ACUITE BB-<br>Issuer not co-operating*<br>(Downgraded from ACUITE BB/Stable) |
| Proposed Letter of credit | Not Applicable   | Not Applicable | Not Applicable | 1.50                          | ACUITE A4+<br>Issuer not co-operating*                                       |

\*The issuer did not co-operate; based on best available information

### Contacts

| Analytical  | Rating Desk  |
|---|--|
| Aditya Gupta<br>Head- Corporate and Infrastructure Sector<br>Tel: 022-4929 4041<br><a href="mailto:aditya.gupta@acuite.in">aditya.gupta@acuite.in</a>                       | Varsha Bist<br>Manager - Rating Desk Tel:<br>022-4929 4011<br><a href="mailto:rating.desk@acuite.in">rating.desk@acuite.in</a> |
| Bhavani Sankar Oruganti<br>Senior Analyst - Rating Operations<br>Tel: 040-4004 2327<br><a href="mailto:bhavansankar.oruganti@acuite.in">bhavansankar.oruganti@acuite.in</a> |  |

### About Acuité Ratings & Research:

Acuité Ratings & Research Limited (Erstwhile SMERA Ratings Limited) is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

**Disclaimer:** An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by Acuité.