

## Press Release

### Swastik Copper Private Limited

August 18, 2021

### Rating Update



<b>Total Bank Facilities Rated*</b>	Rs. 62.50 Cr.#
<b>Long Term Rating</b>	ACUITE D Issuer not co-operating*
<b>Short Term Rating</b>	ACUITE D Issuer not co-operating*

\*Refer Annexure for details

\*\*The issuer did not co-operate; based on best available information.

Acuite has reviewed the long-term rating of '**ACUITE D**' (read as **ACUITE D**) and reviewed the Short-term rating of '**ACUITE D**' (read as **ACUITE D**) on the Rs. 62.50 crore bank facilities of Swastik Copper Private Limited. The rating continues to be flagged as "Issuer Not-Cooperating" and is based on the best available information.

Swastik Copper Private Limited (SCPL) was established in 1993 in Rajasthan by Mr. Sandeep Jain who was supported by his father, Late Shri Shashi Kumar Jain. SCPL is engaged in manufacturing and distribution of power transformers ranging from 16 KVA 11 KV Class to 10 MVA 33 KV Class. The manufacturing unit is situated in Sitapura Industrial Area of Jaipur with a production capacity of 20000 transformers per annum.

#### Non-cooperation by the issuer/borrower:

Acuite has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before the due date.

This rating is, therefore, being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuite's policies.

#### Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-52.htm>
- Manufacturing Entities - <https://www.acuite.in/view-rating-criteria-59.htm>

#### Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuite endeavored to gather information about the entity/industry from the public domain. Therefore, Acuite cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

**Liquidity Indicators** - "No information provided by the issuer / available for Acuite to comment upon."

**Rating Sensitivity** - "No information provided by the issuer / available for Acuite to comment upon."

#### About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

#### Status of non-cooperation with previous CRA (if applicable)

None

#### Any other information

Acuite is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

### Rating History (Up to last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr)	Ratings/Outlook
28 May 2020	Cash Credit	Long term	20.00	ACUITE D (Downgraded from ACUITE BB/ Stable) Issuer not co-operating*
	Bill Discounting	Short term	2.50	ACUITE D (Downgraded from ACUITE BB/ Stable) Issuer not co-operating*
	Bank Guarantee	Short term	36.00	ACUITE D (Downgraded from ACUITE BB/ Stable) Issuer not co-operating*
	Letter Of Credit	Short term	4.00	ACUITE D (Downgraded from ACUITE BB/ Stable) Issuer not co-operating*
27 Mar 2019	Cash Credit	Long term	20.00	ACUITE BB/ Stable (Assigned)
	Bill Discounting	Short term	2.50	ACUITE A4+ (Assigned)
	Bank Guarantee	Short term	36.00	ACUITE A4+ (Assigned)
	Letter Of Credit	Short term	4.00	ACUITE A4+ (Assigned)

### \*Annexure – Details of instruments rated

Lender Name	Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Cr.)	Ratings/Outlook
Union Bank of India	Cash Credit	Not Applicable	Not Applicable	Not Applicable	20.00	ACUITE D Issuer not co-operating*
Union Bank of India	Bill Discounting	Not Applicable	Not Applicable	Not Applicable	2.50	ACUITE D Issuer not co-operating*
Union Bank of India	Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	36.00	ACUITE D Issuer not co-operating*
Union Bank of India	Letter Of Credit	Not Applicable	Not Applicable	Not Applicable	4.00	ACUITE D Issuer not co-operating*

\*The issuer did not co-operate; based on best available information.

### Contacts

Analytical	Rating Desk
Aditya Gupta Vice President- Corporate and Infrastructure Sector Tel: 022-49294041 <a href="mailto:aditya.gupta@acuite.in">aditya.gupta@acuite.in</a>  Shubhaditya Sarkar Analyst- Rating Operations Tel: 033-6620 1212 <a href="mailto:shubhaditya.sarkar@acuite.in">shubhaditya.sarkar@acuite.in</a>	Varsha Bist Senior Manager – Rating Desk Tel: 022-49294011 <a href="mailto:rating.desk@acuite.in">rating.desk@acuite.in</a>

**About Acuite Ratings & Research:**

Acuite Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

**Disclaimer:** *An Acuite rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuite ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuite, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuite is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuite ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by Acuite.*