

## Press Release

SLR Construction Private Limited

January 03, 2022



### Rating Downgraded, Reaffirmed and Issuer not co-operating

Product	Quantum (Rs. Cr)	Long Term Rating	Short Term Rating
Bank Loan Ratings	12.00		ACUITE A4   Reaffirmed   Issuer not co-operating*
Bank Loan Ratings	2.00	ACUITE C   Downgraded   Issuer not co-operating*	
Total	14.00	-	-

### Rating Rationale

Acuite has downgraded the long-term rating to '**ACUITE C**' (read as **ACUITE C**) from '**ACUITE BB-**' (read as **ACUITE Double B minus**) and reaffirmed the short term rating to '**ACUITE A4**' (read as **ACUITE A four**) on the Rs.14.00 Crore bank facilities of SLR Construction Private Limited (SLRCPL). This rating is now an indicative rating and is based on best available information.

### About the Company

SLR Construction Private Limited was incorporated in 2006, by Mr. Shiv Kumar Bansal and his family, based in Delhi. The company is a class A civil contractor for CNG stations and buildings. Company is engaged into tender bases business where the company constructs work station/terminal in the pipeline project. All the projects are operated through GAIL (Gas Authority of India Limited), India's state-owned natural gas Processing and Distribution Company.

### Non-cooperation by the issuer/borrower

Acuite has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer / borrower failed to submit such information before due date. Acuite believes that information risk is a critical component in such ratings, and non - cooperation by the issuer along with unwillingness to provide information could be a sign of potential deterioration in its overall credit quality. This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuite's policies.

### Limitation regarding information availability

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuite endeavoured to gather information about the entity/industry from the public domain. Therefore, Acuite cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

### Rating Sensitivities

No information provided by the issuer / available for Acuite to comment upon.

### Material Covenants

None.

### Liquidity Position

No information provided by the issuer / available for Acuite to comment upon.

### Outlook

Not Applicable.

### Key Financial

The rated entity has not shared the latest financial statements despite repeated requests.

### Status of non-cooperation with previous CRA

CRISIL vide its press release dated 26 February 2021, has mentioned the rating of SLRCPL as '[CRISIL] B+/Stable/A4' Issuer Not Cooperating as on 26 February 2021.

### Any other information

None.

### Applicable Criteria

- Default Recognition: <https://www.acuite.in/view-rating-criteria-52.htm>
- Infrastructure Sector: <https://www.acuite.in/view-rating-criteria-51.htm>

### Rating History

Date	Name of Instruments/Facilities	Term	Amount (Rs. Cr)	Rating/Outlook
20 Nov 2020	Cash Credit	Long Term	1.80	ACUITE BB-   Stable (Assigned)
	Bank Guarantee	Short Term	12.00	ACUITE A4 (Assigned)
	Proposed Bank Facility	Long Term	0.20	ACUITE BB-   Stable (Assigned)

## Annexure - Details of instruments rated

Lender's Name	ISIN	Facilities	Date Of Issuance	Coupon Rate	Maturity Date	Quantum (Rs. Cr.)	Rating
Canara Bank	Not Applicable	Bank Guarantee/Letter of Guarantee	Not Applicable	Not Applicable	Not Applicable	12.00	ACUITE A4   Reaffirmed   Issuer not co-operating*
Canara Bank	Not Applicable	Cash Credit	Not Applicable	Not Applicable	Not Applicable	1.80	ACUITE C   Downgraded   Issuer not co-operating*
Not Applicable	Not Applicable	Proposed Long Term Bank Facility	Not Applicable	Not Applicable	Not Applicable	0.20	ACUITE C   Downgraded   Issuer not co-operating*

## Contacts

Analytical	Rating Desk
Aditya Gupta Vice President-Rating Operations Tel: 022-49294041 <a href="mailto:aditya.gupta@acuite.in">aditya.gupta@acuite.in</a>  Shreyansh Singh Management Trainee-Rating Operations Tel: 022-49294065 <a href="mailto:shreyansh.singh@acuite.in">shreyansh.singh@acuite.in</a>	Varsha Bist Senior Manager-Rating Operations Tel: 022-49294011 <a href="mailto:rating.desk@acuite.in">rating.desk@acuite.in</a>

### About Acuité Ratings & Research

Acuité Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 8,850 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Kanjurmarg, Mumbai.

**Disclaimer:** An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by Acuité.