

**Press Release**  
**MB POWER (MADHYA PRADESH) LIMITED**  
**January 23, 2026**  
**Rating Reaffirmed and Withdrawn**



Product	Quantum (Rs. Cr)	Long Term Rating	Short Term Rating
Bank Loan Ratings	1544.49	ACUITE AA   Reaffirmed & Withdrawn	-
Bank Loan Ratings	455.51	Not Applicable   Withdrawn	-
Total Outstanding Quantum (Rs. Cr)	0.00	-	-
Total Withdrawn Quantum (Rs. Cr)	2000.00	-	-

**Rating Rationale**

ACUITE has reaffirmed and withdrawn its long-term rating of '**ACUITE AA**' (**read as ACUITE double A**) on the Rs. 1544.49 Cr. bank facilities of MB Power (Madhya Pradesh) Limited (MBPL). The rating is being withdrawn on account of request received from the company and No Objection Certificate (NOC) received from the lead banker.

Further, Acuité has withdrawn the long-term rating of the Rs. 455.51 Cr. proposed facilities of MB Power (Madhya Pradesh) Limited (MBPL). The same is withdrawn without assigning any rating as it is proposed facilities. The rating is being withdrawn on account of request received from the company.

The rating withdrawal is in accordance with the Acuité's policy on withdrawal of rating as applicable to the respective facility / instrument.

**Rationale for rating :**

The rating reaffirmation reflects the company's improvement in operating performance backed by high plant availability of approximately 89 percent during FY 2025 and a PLF ranging between 78-79 percent during the same period. Furthermore, the rating is supported by a healthy financial risk profile with prepayment of debt, efficient working capital management, and a strong liquidity position supported by nominally utilized working capital limits, healthy liquid investments, and maintenance of the DSRA reserve in the form of fixed deposit equivalent to a two-quarters repayment obligation. The rating takes note of 76 percent tied-up long-term Power (PPA's) 945MW with MP, UP and Assam for 25 years with stability in operating performance. These agreements, along with fuel supply arrangements (FSA) with Southeastern Coalfields, significantly mitigate supply risks. Furthermore, the company has received the Letter of Award from Power Company of Karnataka Limited (PKCL) for Long Term Power supply of 284MW from our existing 2X625MW plant for 25 years. This stability in operating performance on account of 100 percent tie up of long term PPA's. However, the rating remains constrained by a moderate counterparty risk profile.

**About the Company**

Incorporated in 2008, Madhya Pradesh-based MB Power (Madhya Pradesh) Limited (MBPL) is a subsidiary of Hindustan Thermal Projects Limited (HTPL), which in turn, is a subsidiary of Hindustan Power Projects Private Limited (HPPL) – the flagship entity of the Hindustan Power group. MBPL has set up a 1,250-MW (2 x 625 MW) coal-based sub-critical thermal power plant

in the Anuppur district of Madhya Pradesh, of which 600 MW (Unit-I) became operational in May 2015. The synchronization of Unit II was completed in March 2016. The management

team of the company comprises senior professionals with more than two decades of experience in the power sector. The company is managed by Mrs. Jasmeen Kaur, Mr. Hemant Sahai, Mrs. Seema Joshi, Mr. Rajarangamani Gopalan, and Mr. Edward Michael Bourgoin.

### **Unsupported Rating**

Not applicable

### **Analytical Approach**

Acuite has considered the standalone business and financial risk profile of MB Power (Madhya Pradesh) Limited to arrive at the rating.

### **Key Rating Drivers**

#### **Strengths**

##### **Low off take risk supported by long term PPA**

MBPL has entered a long-term PPA with the discoms of Madhya Pradesh, Uttar Pradesh, Assam and Karnataka. The company has (76 per cent) tied up with long-term Power Purchase Agreements (PPAs) with MP discoms for 423 MW, UP discoms for 383 MW, Assam discoms for 139 MW. Company has received the Letter of Award from Power Company of Karnataka Limited (PKCL) for Long Term Power supply of MW for 25 years. PPAs with MP discoms have a fuel cost pass- through mechanism that helps the company mitigate the risk related to variations in coal prices. The company has also entered into a long-term open access agreement with the Power Grid Corporation of India (PGCIL) and is well connected with dedicated transmission lines that are connected to the National Grid. Power supply to off takers (UP, MP, Assam and Karnataka) is done through the National Grid.

#### **Improvement in operating performance**

The company has reported growth in revenues in FY2025, which stood at Rs. 4,219.19 Cr. as against Rs. 4,163.12 Cr. in FY2024. The EBTIDA margin stood at 38.40 percent in FY2025 as against 29.48 percent in FY2024. The improvement in the margin is on account of higher average realization rate in exchange market and in decrease in administrative expenses (Claims and allied activities). The plant has consistently maintained an average annual plant availability factor of ~89 per cent in FY2025, which has ensured the recovery of capacity charges under PPAs. The PLF for FY 2025 was 78 per cent since the company synchronized the FGD unit with the main plant and during that period there was no generation and hence the PLF was slightly lower than last year i.e, 80 percent in FY2024. Given the adequate fuel tie-up, the plant was able to achieve a higher-than-normative PAF and sustain a high PLF over the medium term.

#### **Healthy financial risk profile**

The company's financial risk profile remained healthy, marked by a healthy net worth, minimal gearing, and healthy debt protection metrics. The net worth of the company stood at Rs.3019.42 Cr. and Rs.2,432.37 Cr. as on March 31, 2025, and 2024, respectively. The improvement in net worth is due to the accretion of reserves. Gearing (debt-to-equity) of the company stood at 1.14 times on March 31, 2025, against 1.54 times as on March 31, 2024. Debt protection metrics interest coverage ratio (ICR) and debt service coverage ratio (DSCR) stood at 4.02 times and 1.99 times as on March 31, 2025, respectively, as against 2.48 times and 1.30 times as on March 31, 2024, respectively. TOL/TNW (Total outside liabilities/Total net worth) stood at 1.72 times and 2.13 times as on March 31, 2025, and 2024, respectively. The debt to EBITDA of the company stood at 1.97 times as on March 31, 2025, as against 2.80 times as on March 31, 2024. The improvement is on account of improved EBTIDA and prepayment of debt to the tune of Rs. 911 Cr. in FY2024, Rs. 209 Cr. in FY2025 and Rs. 123 Cr. in Q1Fy2026.

#### **Weaknesses**

##### **Moderate counterparty credit profile**

Madhya Pradesh and Uttar Pradesh discoms are major off-takers of the company. The financial risk profile of these companies is moderate; however, the company has been receiving payments in a timely manner. Exchange sales are realized within 2 to 3 days. Going

forward, any significant deterioration in the credit risk profile of the off-takers, leading to an impact on the liquidity position and financial risk profile of the company, shall remain a key monitorable.

**Assessment of Adequacy of Credit Enhancement under various scenarios including stress scenarios (applicable for ratings factoring specified support considerations with or without the "CE" suffix)**

MBPL maintains a Debt Service Reserve Account (DSRA) for six months' worth repayment obligation (Repayment plus Interest) .

**Stress case Scenario**

Acuite believes that, given the presence of DSRA mechanism MBPL will be able to service its debt on time, even in a stress scenario.

**ESG Factors Relevant for Rating**

Acuite Has considered material ESG factors in its credit rating of MB power ( Madhya Pradesh) limited. The environmental risks remain moderately high due to the company's reliance on coal based power generation, which is inherently carbon- intensive. However, the company's compliance with environmental regulations- including norms related to emissions, ash disposal, and water usage- provides partial mitigation. Further, in compliance of MOEF requirements, the company has successfully installed the Fuel Gas Desulfurization Technology (FGD project) to reduce the harmful emission (with respect to SOx and NOx levels) etc.

On the social front, MB power has maintained adequate health and safety and has undertaken community engagement initiatives in surrounding area. Labour practices remain stable, with no major disruptions reported. Governance risk is low, supported by experienced management, transparent financial disclosures, and adherence to statutory compliance requirements . The company's structured debt servicing framework and robust internal controls further enhance governance strength.

**Rating Sensitivities**

Not applicable

**Liquidity Position: Strong**

MBPL liquidity remained Strong, marked by strong net cash accruals as against repayment obligations. It has generated cash accruals of Rs.1092.77 Cr. in FY2025, while its maturing debt obligations were Rs. 333.07 Cr. during the same period. Going forward, the company is expected to generate strong net cash accruals against it's maturing repayment obligations. The current ratio stood at 1.10 times as on March 31, 2025. The company maintains unencumbered cash and bank balances of Rs.665.68 Cr. as on March 31, 2025. The company has liquid assets in the form of FDRs and mutual fund investments worth Rs. 665.96 Cr. as on March 31st, 2025. In addition, it maintained a margin money and DSRA deposit of Rs. 565.34 Cr. as on March 31, 2025. Acuite believes that the liquidity position of the company will continue to remain strong, backed by healthy cash accrual generation, liquid investments, and unutilized working capital limits. Further, the average bank limit utilization in the last nine months ended April 2025 was " Nil" under Fund Based and at 83 percent for fund-based Interchangeable limits of AXIS and 68 percent for non-fund-based limits.

**Outlook: Not applicable**

**Other Factors affecting Rating**

None

## Key Financials

Particulars	Unit	FY 25 (Actual)	FY 24 (Actual)
Operating Income	Rs. Cr.	4219.19	4163.12
PAT	Rs. Cr.	585.30	276.54
PAT Margin	(%)	13.87	6.64
Total Debt/Tangible Net Worth	Times	1.14	1.54
PBDIT/Interest	Times	4.02	2.48

### Status of non-cooperation with previous CRA (if applicable)

Not applicable

### Any other information

None

### Applicable Criteria

- Default Recognition :- <https://www.acuite.in/view-rating-criteria-52.htm>
- Infrastructure Sector: <https://www.acuite.in/view-rating-criteria-51.htm>
- Application Of Financial Ratios And Adjustments: <https://www.acuite.in/view-rating-criteria-53.htm>

### Note on complexity levels of the rated instrument

In order to inform the investors about complexity of instruments, Acuité has categorized such instruments in three levels: Simple, Complex and Highly Complex. Acuite's categorisation of the instruments across the three categories is based on factors like variability of the returns to the investors, uncertainty in cash flow patterns, number of counterparties and general understanding of the instrument by the market. It has to be understood that complexity is different from credit risk and even an instrument categorized as 'Simple' can carry high levels of risk. For more details, please refer Rating Criteria "Complexity Level Of Financial Instruments" on [www.acuite.in](http://www.acuite.in).

## Rating History

Date	Name of Instruments/Facilities	Term	Amount (Rs. Cr)	Rating/Outlook
31 Oct 2025	Proposed Long Term Bank Facility	Long Term	455.51	ACUITE AA   Stable (Upgraded from ACUITE AA-   Stable)
	Term Loan	Long Term	458.52	ACUITE AA   Stable (Upgraded from ACUITE AA-   Stable)
	Term Loan	Long Term	862.36	ACUITE AA   Stable (Upgraded from ACUITE AA-   Stable)
	Foreign Currency Term Loan	Long Term	148.61	ACUITE AA   Stable (Upgraded from ACUITE AA-   Stable)
	Cash Credit	Long Term	75.00	ACUITE AA   Stable (Upgraded from ACUITE AA-   Stable)
04 Jun 2025	Cash Credit	Long Term	75.00	ACUITE AA-   Stable (Reaffirmed)
	Proposed Long Term Bank Facility	Long Term	455.51	ACUITE AA-   Stable (Reaffirmed)
	Term Loan	Long Term	458.52	ACUITE AA-   Stable (Reaffirmed)
	Term Loan	Long Term	862.36	ACUITE AA-   Stable (Reaffirmed)
	Foreign Currency Term Loan	Long Term	148.61	ACUITE AA-   Stable (Reaffirmed)
11 Jun 2024	Proposed Long Term Bank Facility	Long Term	500.00	ACUITE AA-   Stable (Assigned)
	Term Loan	Long Term	484.00	ACUITE AA-   Stable (Assigned)
	Term Loan	Long Term	934.24	ACUITE AA-   Stable (Assigned)
	Proposed Long Term Bank Facility	Long Term	81.76	ACUITE AA-   Stable (Assigned)

**Annexure - Details of instruments rated**

Lender's Name	ISIN	Facilities	Date Of Issuance	Coupon Rate	Maturity Date	Quantum (Rs. Cr.)	Complexity Level	Rating
INDIAN OVERSEAS BANK	Not avl. / Not appl.	Cash Credit	Not avl. / Not appl.	Not avl. / Not appl.	Not avl. / Not appl.	75.00	Simple	ACUITE AA   Reaffirmed & Withdrawn
India Infrastructure Finance Company (UK) Limited	Not avl. / Not appl.	Foreign Currency Term Loan	28 Mar 2014	Not avl. / Not appl.	01 Mar 2028	148.61	Simple	ACUITE AA   Reaffirmed & Withdrawn
Not Applicable	Not avl. / Not appl.	Proposed Long Term Bank Facility	Not avl. / Not appl.	Not avl. / Not appl.	Not avl. / Not appl.	455.51	Simple	ACUITE Not Applicable   Withdrawn
Rural Electrification Corporation Ltd.	Not avl. / Not appl.	Term Loan	26 Dec 2011	Not avl. / Not appl.	31 Mar 2034	458.52	Simple	ACUITE AA   Reaffirmed & Withdrawn
Indian Infrastructure Finance Company Limited	Not avl. / Not appl.	Term Loan	03 Jul 2023	Not avl. / Not appl.	01 Feb 2034	862.36	Simple	ACUITE AA   Reaffirmed & Withdrawn

## Contacts

Mohit Jain Chief Analytical Officer-Rating Operations	<b>Contact details exclusively for investors and lenders</b>
Moparthi Anuradha Devi Senior Analyst-Rating Operations	Mob: +91 8591310146 Email ID: <a href="mailto:analyticalsupport@acuite.in">analyticalsupport@acuite.in</a>

### About Acuité Ratings & Research

Acuité is a full-service Credit Rating Agency registered with the Securities & Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI) for Bank Loan Ratings under BASEL-II norms in the year 2012. Acuité has assigned ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Kanjurmarg, Mumbai.

**Disclaimer:** An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Ratings assigned by Acuité are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind, arising from the use of its ratings. Ratings assigned by Acuité are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by Acuité. Please visit <https://www.acuite.in/faqs.htm> to refer FAQs on Credit Rating.

**Note:** None of the Directors on the Board of Acuité Ratings & Research Limited are members of any rating committee and therefore do not participate in discussions regarding the rating of any entity.