

## Press Release

### Sitara Conductors and Cables Private Limited

June 15, 2021



### Rating Update

<b>Total Bank Facilities Rated*</b>	Rs.6.40 Cr.#
<b>Long Term Rating</b>	ACUITE B+ Issuer not co-operating*
<b>Short Term Rating</b>	ACUITE A4 Issuer not co-operating*

\*Refer Annexure for details

\*\*The issuer did not co-operate; based on best available information.

Acuité has reviewed the long-term rating of '**ACUITE B+** (read as ACUITE B plus) and the short-term rating of '**ACUITE A4** (read as ACUITE A four) on the Rs.6.40 crore bank facilities of Sitara Conductors And Cables Private Limited (SCPL). The rating continues to be flagged as "Issuer Not-Cooperating" and is based on the best available information.

SCPL, a West Bengal based company was established in 1986 as a proprietorship firm and changed to private limited in 2007. The company, led by Directors, Mr. Nirmal Kumar Mukim and Mrs. Alka Devi Mukim, is engaged in the manufacture of aluminium conductors and cables used for power distribution. The day-to-day operations are managed by Mr. Nirmal Kumar Mukim. The manufacturing capacity stands at 1850 metric tons per annum.

#### Non-cooperation by the issuer/borrower:

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer/borrower failed to submit such information before the due date.

This rating is, therefore, being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

#### Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-52.htm>
- Manufacturing Entities- <https://www.acuite.in/view-rating-criteria-59.htm>

#### Limitation regarding information availability:

The rating is based on information available from sources other than the issuer/borrower (in the absence of information provided by the issuer/borrower). Acuité endeavored to gather information about the entity/industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

**Liquidity Indicators** - "No information provided by the issuer / available for Acuite to comment upon."

**Rating Sensitivity** - "No information provided by the issuer / available for Acuite to comment upon."

#### About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

#### Status of non-cooperation with previous CRA (if applicable)

None

#### Any other information

Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups.

**Rating History (Up to last three years)**

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr)	Ratings/Outlook
19-Mar-2020	Cash Credit	Long Term	4.00	ACUITE B+ Issuer not co-operating*
	Term Loan	Long Term	0.40	ACUITE B+ Issuer not co-operating*
	Bank Guarantee	Short Term	2.00	ACUITE A4 Issuer not co-operating*
11-Jan-2019	Cash Credit	Long Term	4.00	ACUITE B+ Issuer not co-operating*
	Term Loan	Long Term	0.40	ACUITE B+ Issuer not co-operating*
	Bank Guarantee	Short Term	2.00	ACUITE A4 Issuer not co-operating*
27-Nov-2017	Cash Credit	Long Term	4.00	ACUITE B+/Stable (Assigned)
	Term Loan	Long Term	0.40	ACUITE B+/Stable (Assigned)
	Bank Guarantee	Short Term	2.00	ACUITE A4 (Assigned)

**\*Annexure – Details of instruments rated**

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Crore)	Ratings/Outlook
Cash Credit	Not Applicable	Not Applicable	Not Applicable	4.00	ACUITE B+ Issuer not co-operating*
Term Loan	Not Available	Not Available	Not Available	0.40	ACUITE B+ Issuer not co-operating*
Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	2.00	ACUITE A4 Issuer not co-operating*

\*The issuer did not co-operate; based on best available information.

**Contacts**

Analytical	Rating Desk
Aditya Gupta Vice President – Rating Operations Tel: 022-49294041 <a href="mailto:aditya.gupta@acuite.in">aditya.gupta@acuite.in</a>	Varsha Bist Senior Manager – Rating Desk Tel: 022-49294011 <a href="mailto:rating.desk@acuite.in">rating.desk@acuite.in</a>
Vishal Kotian Analyst - Corporate Sector Ratings, Rating Operations - Corporate Sector Ratings Tel: +91 22 49294045 <a href="mailto:vishal.kotian@acuite.in">vishal.kotian@acuite.in</a>	

**About Acuité Ratings & Research:**

Acuité Ratings & Research Limited is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

**Disclaimer:** An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by Acuité.