

## Press Release

### Rampex Labs Private Limited

February 20, 2020



### Rating Update

<b>Total Bank Facilities Rated*</b>	Rs. 63.70 Cr. #
<b>Long Term Rating</b>	ACUITE B+ Issuer not co-operating* (Downgraded from ACUITE BB-/Stable)
<b>Short Term Rating</b>	ACUITE A4 Issuer not co-operating* (Downgraded from ACUITE A4+)

# Refer Annexure for details

\* The issuer did not co-operate; Based on best available information.

Acuité has downgraded its long-term rating to '**ACUITE B+** (read as **ACUITE B Plus**) from '**ACUITE BB-** (read as **ACUITE double B minus**) and short term rating to '**ACUITE A4**' (read as **ACUITE A four**) from '**ACUITE A4+**' (read as **ACUITE A four plus**) on the Rs. 63.70 crore bank facilities of RAMPEX LABS PRIVATE LIMITED (RLPL). This rating is now an indicative rating and is based on best available information.

RLPL, incorporated in 2004, is headed by Mr. Prasanth Chemuduri, Mr. Prasada Rao J V V, Mr. J S V N Sastry- Full-time Directors and Mr. Ranga N B Gorrepati- Chairman. The company is engaged in manufacturing of bulk drug intermediates located at IDA Bollaram in Medak (Telangana) with installed capacity of 248 tons per annum. RLPL is also engaged in the manufacturing of active pharmaceutical ingredients (APIs) at Visakhapatnam (Andhra Pradesh) since September 2014 with an installed capacity of 300 tons per annum.

#### Non-cooperation by the issuer/borrower

Acuité has been requesting for data, information and undertakings from the rated entity for conducting surveillance & review of the rating. However, the issuer / borrower failed to submit such information before due date.

This rating is therefore being flagged as "Issuer not-cooperating", in line with prevailing SEBI regulations and Acuité's policies.

#### Applicable Criteria

- Default Recognition - <https://www.acuite.in/view-rating-criteria-52.htm>
- Manufacturing Entities - <https://www.acuite.in/view-rating-criteria-59.htm>

#### Limitation regarding information availability

The rating is based on information available from sources other than the issuer / borrower (in the absence of information provided by the issuer / borrower). Acuité endeavoured to gather information about the entity / industry from the public domain. Therefore, Acuité cautions lenders and investors regarding the use of such information, on which the indicative credit rating is based.

#### About the Rated Entity - Key Financials

The rated entity has not shared the latest financial statements despite repeated requests.

#### Status of non-cooperation with previous CRA (if applicable)

None

#### Any other information

'Acuité is yet to receive the latest No Default Statement (NDS) from the rated entity, despite repeated requests and follow-ups'

### Rating History (Upto last three years)

Date	Name of Instrument / Facilities	Term	Amount (Rs. Cr.)	Ratings/Outlook
12-Dec-2018	Term Loan	Long Term	20.44	ACUITE BB-/Stable (Upgraded)
	Cash Credit	Long Term	23.00	ACUITE BB-/Stable (Upgraded)
	Letter of Credit	Short Term	8.00	ACUITE A4+ (Upgraded)
	Bank Guarantee	Short Term	1.00	ACUITE A4+ (Upgraded)
	Proposed Long Term	Long Term	11.26	ACUITE BB-/Stable (Upgraded)
19-Jan-2018	Term Loan	Long Term	23.61	ACUITE B+/Stable (Upgraded)
	Cash Credit	Long Term	23.00	ACUITE B+/Stable (Upgraded)
	Letter of Credit	Short Term	8.00	ACUITE A4 (Upgraded)
	Bank Guarantee	Short Term	1.00	ACUITE A4 (Upgraded)
	Proposed Long Term	Long Term	8.09	ACUITE B+/Stable (Upgraded)
27-Sep-2017	Term Loan	Long Term	26.75	ACUITE D (Downgraded)
	Cash Credit	Long Term	23.00	ACUITE D (Downgraded)
	Letter of Credit	Short Term	8.00	ACUITE D (Downgraded)
	Bank Guarantee	Short Term	1.00	ACUITE D (Downgraded)
	Proposed Long Term	Long Term	4.95	ACUITE D (Downgraded)

### #Annexure – Details of instruments rated

Name of the Facilities	Date of Issuance	Coupon Rate	Maturity Date	Size of the Issue (Rs. Cr.)	Ratings
Term Loan	Not Applicable	Not Applicable	Not Applicable	20.44	ACUITE B+ Issuer not co-operating* (Downgraded)
Cash Credit	Not Applicable	Not Applicable	Not Applicable	23.00	ACUITE B+ Issuer not co-operating* (Downgraded)
Letter of Credit	Not Applicable	Not Applicable	Not Applicable	8.00	ACUITE A4 Issuer not co-operating* (Downgraded)
Bank Guarantee	Not Applicable	Not Applicable	Not Applicable	1.00	ACUITE A4 Issuer not co-operating* (Downgraded)
Proposed Long Term	Not Applicable	Not Applicable	Not Applicable	11.26	ACUITE B+ Issuer not co-operating* (Downgraded)

\*The issuer did not co-operate; Based on best available information.

### Contacts

Analytical	Rating Desk
Aditya Gupta Head - Corporate and Infrastructure Sector Ratings Tel: 022-49294073 <a href="mailto:aditya.gupta@acuite.in">aditya.gupta@acuite.in</a>	Varsha Bist Manager - Rating Desk Tel: 022-49294011 <a href="mailto:rating.desk@acuite.in">rating.desk@acuite.in</a>
Naveen Papisetty Analyst - Rating Operations Tel: 040 40055480 <a href="mailto:naveen.papisetty@acuite.in">naveen.papisetty@acuite.in</a>	

#### **About Acuité Ratings & Research:**

Acuité Ratings & Research Limited (Erstwhile SMERA Ratings Limited) is a full-service Credit Rating Agency registered with the Securities and Exchange Board of India (SEBI). The company received RBI Accreditation as an External Credit Assessment Institution (ECAI), for Bank Loan Ratings under BASEL-II norms in the year 2012. Since then, it has assigned more than 6,000 credit ratings to various securities, debt instruments and bank facilities of entities spread across the country and across a wide cross section of industries. It has its Registered and Head Office in Mumbai.

**Disclaimer:** An Acuité rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuité ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuité, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuité is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuité ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by Acuité.